



1200 Series Self Aligning Ball Bearings

| Part Number | Bore diameter | Outside diameter | Width | Bore type | Seal type | Ring material | Ball material | Limiting speed |
|-------------------------------|---------------|------------------|-------|-------------|-----------|---------------|---------------|----------------|
| 1200 | 10 mm | 30 mm | 9 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 36 X 1000 rpm |
| 1200 C/3 | 10 mm | 30 mm | 9 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 36 X 1000 rpm |
| 1200 ETN9/W64 | 10 mm | 30 mm | 9 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 36 X 1000 rpm |
| 1200-TVH | 10 mm | 30 mm | 9 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 36 X 1000 rpm |
| 1200-TVH-C3 | 10 mm | 30 mm | 9 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 36 X 1000 rpm |
| 1200J | 10 mm | 30 mm | 9 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 36 X 1000 rpm |
| 1200TNH | 10 mm | 30 mm | 9 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 36 X 1000 rpm |
| 1200 ETN9 | 10 mm | 30 mm | 9 mm | - | Open | Chrome Steel | Chrome Steel | 36 X 1000 rpm |
| 1201 | 12 mm | 32 mm | 10 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 32 X 1000 rpm |
| 1201 ETN9/C2 | 12 mm | 32 mm | 10 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 32 X 1000 rpm |
| 1201 ETN9/C3 | 12 mm | 32 mm | 10 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 32 X 1000 rpm |
| 1201 ETN9/W64 | 12 mm | 32 mm | 10 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 32 X 1000 rpm |
| 1201-TVH | 12 mm | 32 mm | 10 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 32 X 1000 rpm |
| 1201-TVH-C3 | 12 mm | 32 mm | 10 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 32 X 1000 rpm |
| 1201J | 12 mm | 32 mm | 10 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 32 X 1000 rpm |
| 1201S | 12 mm | 32 mm | 10 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 32 X 1000 rpm |
| 1201KJ | 12 mm | 32 mm | 10 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 32 X 1000 rpm |
| 1201 ETN9 | 12 mm | 32 mm | 10 mm | - | Open | Chrome Steel | Chrome Steel | 32 X 1000 rpm |
| 1202 | 15 mm | 35 mm | 11 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 28 X 1000 rpm |
| 1202 C/3 | 15 mm | 35 mm | 11 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 28 X 1000 rpm |
| 1202 ETN9/C2 | 15 mm | 35 mm | 11 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 28 X 1000 rpm |
| 1202 ETN9/C3 | 15 mm | 35 mm | 11 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 28 X 1000 rpm |
| 1202 ETN9/W64 | 15 mm | 35 mm | 11 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 28 X 1000 rpm |
| 1202 P/6 | 15 mm | 35 mm | 11 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 28 X 1000 rpm |
| 1202-TVH | 15 mm | 35 mm | 11 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 28 X 1000 rpm |
| 1202-TVH-C3 | 15 mm | 35 mm | 11 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 28 X 1000 rpm |
| 1202C3 | 15 mm | 35 mm | 11 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 28 X 1000 rpm |
| 1202G15 | 15 mm | 35 mm | 11 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 28 X 1000 rpm |
| 1202TN | 15 mm | 35 mm | 11 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 28 X 1000 rpm |
| 1202TNC3 | 15 mm | 35 mm | 11 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 28 X 1000 rpm |
| 1202K | 15 mm | 35 mm | 11 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 28 X 1000 rpm |
| 1202 ETN9 | 15 mm | 35 mm | 11 mm | - | Open | Chrome Steel | Chrome Steel | 28 X 1000 rpm |
| 1203 | 17 mm | 40 mm | 12 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 24 X 1000 rpm |
| 1203 2RS | 17 mm | 40 mm | 12 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 24 X 1000 rpm |
| 1203 C/2 | 17 mm | 40 mm | 12 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 24 X 1000 rpm |
| 1203 C/3 | 17 mm | 40 mm | 12 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 24 X 1000 rpm |
| 1203 ETN9/C3 | 17 mm | 40 mm | 12 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 24 X 1000 rpm |
| 1203 ETN9/W64 | 17 mm | 40 mm | 12 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 24 X 1000 rpm |
| 1203 M | 17 mm | 40 mm | 12 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 24 X 1000 rpm |



1200 Series Self Aligning Ball Bearings

| Part Number | Bore diameter | Outside diameter | Width | Bore type | Seal type | Ring material | Ball material | Limiting speed |
|----------------------------------|---------------|------------------|-------|-------------|-----------|---------------|---------------|----------------|
| 1203 P/6 | 17 mm | 40 mm | 12 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 24 X 1000 rpm |
| 1203-TVH | 17 mm | 40 mm | 12 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 24 X 1000 rpm |
| 1203-TVH-C3 | 17 mm | 40 mm | 12 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 24 X 1000 rpm |
| 1203C3 | 17 mm | 40 mm | 12 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 24 X 1000 rpm |
| 1203J | 17 mm | 40 mm | 12 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 24 X 1000 rpm |
| 1203TN | 17 mm | 40 mm | 12 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 24 X 1000 rpm |
| 1203 ETN9 | 17 mm | 40 mm | 12 mm | - | Open | Chrome Steel | Chrome Steel | 24 X 1000 rpm |
| 1204 | 20 mm | 47 mm | 14 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 20 X 1000 rpm |
| 1204 C/2 | 20 mm | 47 mm | 14 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 20 X 1000 rpm |
| 1204 C/3 | 20 mm | 47 mm | 14 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 20 X 1000 rpm |
| 1204 C3 | 20 mm | 47 mm | 14 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 20 X 1000 rpm |
| 1204 ETN9/C3 | 20 mm | 47 mm | 14 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 20 X 1000 rpm |
| 1204 ETN9/C3W64 | 20 mm | 47 mm | 14 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 20 X 1000 rpm |
| 1204 ETN9/C3W64F | 20 mm | 47 mm | 14 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 20 X 1000 rpm |
| 1204 ETN9/W64 | 20 mm | 47 mm | 14 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 20 X 1000 rpm |
| 1204 P/6 | 20 mm | 47 mm | 14 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 20 X 1000 rpm |
| 1204-TVH | 20 mm | 47 mm | 14 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 20 X 1000 rpm |
| 1204-TVH-C3 | 20 mm | 47 mm | 14 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 20 X 1000 rpm |
| 1204C3 | 20 mm | 47 mm | 14 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 20 X 1000 rpm |
| 1204C4 | 20 mm | 47 mm | 14 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 20 X 1000 rpm |
| 1204J | 20 mm | 47 mm | 14 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 20 X 1000 rpm |
| 1204JC3 | 20 mm | 47 mm | 14 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 20 X 1000 rpm |
| 1204TN | 20 mm | 47 mm | 14 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 20 X 1000 rpm |
| 1204 EKTN9/C3 | 20 mm | 47 mm | 14 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 20 X 1000 rpm |
| 1204-K | 20 mm | 47 mm | 14 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 20 X 1000 rpm |
| 1204-K C/3 | 20 mm | 47 mm | 14 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 20 X 1000 rpm |
| 1204-K-TVH-C3 | 20 mm | 47 mm | 14 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 20 X 1000 rpm |
| 1204K | 20 mm | 47 mm | 14 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 20 X 1000 rpm |
| 1204KJ | 20 mm | 47 mm | 14 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 20 X 1000 rpm |
| 1204KTN | 20 mm | 47 mm | 14 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 20 X 1000 rpm |
| 1204 EKTN9 | 20 mm | 47 mm | 14 mm | - | Open | Chrome Steel | Chrome Steel | 20 X 1000 rpm |
| 1204 ETN9 | 20 mm | 47 mm | 14 mm | - | Open | Chrome Steel | Chrome Steel | 20 X 1000 rpm |
| 1205 | 25 mm | 52 mm | 15 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 18 X 1000 rpm |
| 1205 C/3 | 25 mm | 52 mm | 15 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 18 X 1000 rpm |
| 1205 C3 | 25 mm | 52 mm | 15 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 18 X 1000 rpm |
| 1205 ETN9/C3 | 25 mm | 52 mm | 15 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 18 X 1000 rpm |
| 1205 ETN9/W64 | 25 mm | 52 mm | 15 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 18 X 1000 rpm |



1200 Series Self Aligning Ball Bearings

| Part Number | Bore diameter | Outside diameter | Width | Bore type | Seal type | Ring material | Ball material | Limiting speed |
|----------------------------------|---------------|------------------|-------|-------------|-----------|---------------|---------------|----------------|
| 1205 P/6 | 25 mm | 52 mm | 15 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 18 X 1000 rpm |
| 1205-TVH | 25 mm | 52 mm | 15 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 18 X 1000 rpm |
| 1205-TVH-C3 | 25 mm | 52 mm | 15 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 18 X 1000 rpm |
| 1205C3 | 25 mm | 52 mm | 15 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 18 X 1000 rpm |
| 1205J | 25 mm | 52 mm | 15 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 18 X 1000 rpm |
| 1205T2C4 | 25 mm | 52 mm | 15 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 18 X 1000 rpm |
| 1205TN | 25 mm | 52 mm | 15 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 18 X 1000 rpm |
| 1205TNC3 | 25 mm | 52 mm | 15 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 18 X 1000 rpm |
| 1205 EKTN9/C3 | 25 mm | 52 mm | 15 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 18 X 1000 rpm |
| 1205 EKTN9/C3W64 | 25 mm | 52 mm | 15 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 18 X 1000 rpm |
| 1205 K | 25 mm | 52 mm | 15 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 18 X 1000 rpm |
| 1205 KC3 | 25 mm | 52 mm | 15 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 18 X 1000 rpm |
| 1205-K C/3 | 25 mm | 52 mm | 15 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 18 X 1000 rpm |
| 1205-K-TVH-C3 | 25 mm | 52 mm | 15 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 18 X 1000 rpm |
| 1205K | 25 mm | 52 mm | 15 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 18 X 1000 rpm |
| 1205KC3 | 25 mm | 52 mm | 15 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 18 X 1000 rpm |
| 1205KJ | 25 mm | 52 mm | 15 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 18 X 1000 rpm |
| 1205KTN | 25 mm | 52 mm | 15 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 18 X 1000 rpm |
| 1205KTNC3 | 25 mm | 52 mm | 15 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 18 X 1000 rpm |
| 1205SK | 25 mm | 52 mm | 15 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 18 X 1000 rpm |
| 1205 EKTN9 | 25 mm | 52 mm | 15 mm | - | Open | Chrome Steel | Chrome Steel | 18 X 1000 rpm |
| 1205 EM | 25 mm | 52 mm | 15 mm | - | Open | Chrome Steel | Chrome Steel | 18 X 1000 rpm |
| 1205 ETN9 | 25 mm | 52 mm | 15 mm | - | Open | Chrome Steel | Chrome Steel | 18 X 1000 rpm |
| 1206 | 30 mm | 62 mm | 16 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 15 X 1000 rpm |
| 1206 C/3 | 30 mm | 62 mm | 16 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 15 X 1000 rpm |
| 1206 C3 | 30 mm | 62 mm | 16 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 15 X 1000 rpm |
| 1206 ETN9/C3 | 30 mm | 62 mm | 16 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 15 X 1000 rpm |
| 1206 ETN9/W64 | 30 mm | 62 mm | 16 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 15 X 1000 rpm |
| 1206 P/6 | 30 mm | 62 mm | 16 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 15 X 1000 rpm |
| 1206-TVH | 30 mm | 62 mm | 16 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 15 X 1000 rpm |
| 1206-TVH-C3 | 30 mm | 62 mm | 16 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 15 X 1000 rpm |
| 1206-TVH-C4 | 30 mm | 62 mm | 16 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 15 X 1000 rpm |
| 1206C3 | 30 mm | 62 mm | 16 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 15 X 1000 rpm |
| 1206J | 30 mm | 62 mm | 16 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 15 X 1000 rpm |
| 1206JC3 | 30 mm | 62 mm | 16 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 15 X 1000 rpm |
| 1206TN | 30 mm | 62 mm | 16 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 15 X 1000 rpm |
| 1206 EKTN9/C3 | 30 mm | 62 mm | 16 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 15 X 1000 rpm |
| 1206 | 30 mm | 62 mm | 16 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 15 X 1000 rpm |



1200 Series Self Aligning Ball Bearings

| Part Number | Bore diameter | Outside diameter | Width | Bore type | Seal type | Ring material | Ball material | Limiting speed |
|--------------------------------|---------------|------------------|-------|-------------|-----------|---------------|---------------|----------------|
| EKTN9/C3W64 | | | | | | | | |
| 1206 EKTN9/W64 | 30 mm | 62 mm | 16 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 15 X 1000 rpm |
| 1206 KC3 | 30 mm | 62 mm | 16 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 15 X 1000 rpm |
| 1206-K | 30 mm | 62 mm | 16 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 15 X 1000 rpm |
| 1206-K C/3 | 30 mm | 62 mm | 16 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 15 X 1000 rpm |
| 1206-K-TVH-C3 | 30 mm | 62 mm | 16 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 15 X 1000 rpm |
| 1206K | 30 mm | 62 mm | 16 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 15 X 1000 rpm |
| 1206KC3 | 30 mm | 62 mm | 16 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 15 X 1000 rpm |
| 1206KJ | 30 mm | 62 mm | 16 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 15 X 1000 rpm |
| 1206KTN | 30 mm | 62 mm | 16 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 15 X 1000 rpm |
| 1206KTNC3 | 30 mm | 62 mm | 16 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 15 X 1000 rpm |
| 1206 EKTN9 | 30 mm | 62 mm | 16 mm | - | Open | Chrome Steel | Chrome Steel | 15 X 1000 rpm |
| 1206 EM | 30 mm | 62 mm | 16 mm | - | Open | Chrome Steel | Chrome Steel | 15 X 1000 rpm |
| 1206 ETN9 | 30 mm | 62 mm | 16 mm | - | Open | Chrome Steel | Chrome Steel | 15 X 1000 rpm |
| 1207 | 35 mm | 72 mm | 17 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 13 X 1000 rpm |
| 1207 C/3 | 35 mm | 72 mm | 17 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 13 X 1000 rpm |
| 1207 C3 | 35 mm | 72 mm | 17 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 13 X 1000 rpm |
| 1207-TVH | 35 mm | 72 mm | 17 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 13 X 1000 rpm |
| 1207-TVH-C3 | 35 mm | 72 mm | 17 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 13 X 1000 rpm |
| 1207C3 | 35 mm | 72 mm | 17 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 13 X 1000 rpm |
| 1207J | 35 mm | 72 mm | 17 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 13 X 1000 rpm |
| 1207JC3 | 35 mm | 72 mm | 17 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 13 X 1000 rpm |
| 1207L1C3 | 35 mm | 72 mm | 17 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 13 X 1000 rpm |
| 1207TN | 35 mm | 72 mm | 17 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 13 X 1000 rpm |
| 1207TNC3 | 35 mm | 72 mm | 17 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 13 X 1000 rpm |
| 1207 EKTN9/C3 | 35 mm | 72 mm | 17 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 13 X 1000 rpm |
| 1207 K | 35 mm | 72 mm | 17 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 13 X 1000 rpm |
| 1207 KC3 | 35 mm | 72 mm | 17 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 13 X 1000 rpm |
| 1207-K C/3 | 35 mm | 72 mm | 17 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 13 X 1000 rpm |
| 1207-K-TVH-C3 | 35 mm | 72 mm | 17 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 13 X 1000 rpm |
| 1207K | 35 mm | 72 mm | 17 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 13 X 1000 rpm |
| 1207KC3 | 35 mm | 72 mm | 17 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 13 X 1000 rpm |
| 1207KJ | 35 mm | 72 mm | 17 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 13 X 1000 rpm |
| 1207KTN | 35 mm | 72 mm | 17 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 13 X 1000 rpm |
| 1207KTNGC3 | 35 mm | 72 mm | 17 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 13 X 1000 rpm |
| 1207 EKTN9 | 35 mm | 72 mm | 17 mm | - | Open | Chrome Steel | Chrome Steel | 13 X 1000 rpm |
| 1207 EM | 35 mm | 72 mm | 17 mm | - | Open | Chrome Steel | Chrome Steel | 13 X 1000 rpm |
| 1207 ETN9 | 35 mm | 72 mm | 17 mm | - | Open | Chrome Steel | Chrome Steel | 13 X 1000 rpm |
| 1208 | 40 mm | 80 mm | 18 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 11 X 1000 rpm |



1200 Series Self Aligning Ball Bearings

| Part Number | Bore diameter | Outside diameter | Width | Bore type | Seal type | Ring material | Ball material | Limiting speed |
|----------------------------------|---------------|------------------|-------|-------------|-----------|---------------|---------------|----------------|
| 1208 C3 | 40 mm | 80 mm | 18 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 11 X 1000 rpm |
| 1208 ETN9/C3 | 40 mm | 80 mm | 18 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 11 X 1000 rpm |
| 1208 ETN9/W64 | 40 mm | 80 mm | 18 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 11 X 1000 rpm |
| 1208-TVH | 40 mm | 80 mm | 18 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 11 X 1000 rpm |
| 1208-TVH-C3 | 40 mm | 80 mm | 18 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 11 X 1000 rpm |
| 1208C3 | 40 mm | 80 mm | 18 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 11 X 1000 rpm |
| 1208J | 40 mm | 80 mm | 18 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 11 X 1000 rpm |
| 1208JC3 | 40 mm | 80 mm | 18 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 11 X 1000 rpm |
| 1208TN | 40 mm | 80 mm | 18 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 11 X 1000 rpm |
| 1208 EKTN9/C3 | 40 mm | 80 mm | 18 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 11 X 1000 rpm |
| 1208 K | 40 mm | 80 mm | 18 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 11 X 1000 rpm |
| 1208 KC3 | 40 mm | 80 mm | 18 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 11 X 1000 rpm |
| 1208-K C/3 | 40 mm | 80 mm | 18 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 11 X 1000 rpm |
| 1208-K C/4 | 40 mm | 80 mm | 18 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 11 X 1000 rpm |
| 1208-K P/6 | 40 mm | 80 mm | 18 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 11 X 1000 rpm |
| 1208-K-TVH-C3 | 40 mm | 80 mm | 18 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 11 X 1000 rpm |
| 1208K | 40 mm | 80 mm | 18 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 11 X 1000 rpm |
| 1208KC3 | 40 mm | 80 mm | 18 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 11 X 1000 rpm |
| 1208KJ | 40 mm | 80 mm | 18 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 11 X 1000 rpm |
| 1208KTN | 40 mm | 80 mm | 18 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 11 X 1000 rpm |
| 1208KTNC3 | 40 mm | 80 mm | 18 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 11 X 1000 rpm |
| 1208 EKTN9 | 40 mm | 80 mm | 18 mm | - | Open | Chrome Steel | Chrome Steel | 11 X 1000 rpm |
| 1208 ETN9 | 40 mm | 80 mm | 18 mm | - | Open | Chrome Steel | Chrome Steel | 11 X 1000 rpm |
| 1209 | 45 mm | 85 mm | 19 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 11 X 1000 rpm |
| 1209 C/3 | 45 mm | 85 mm | 19 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 11 X 1000 rpm |
| 1209 C3 | 45 mm | 85 mm | 19 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 11 X 1000 rpm |
| 1209 ETN9/C3 | 45 mm | 85 mm | 19 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 11 X 1000 rpm |
| 1209 ETN9/W64 | 45 mm | 85 mm | 19 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 11 X 1000 rpm |
| 1209-J-S3-C5 | 45 mm | 85 mm | 19 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 11 X 1000 rpm |
| 1209-TVH | 45 mm | 85 mm | 19 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 11 X 1000 rpm |
| 1209-TVH-C3 | 45 mm | 85 mm | 19 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 11 X 1000 rpm |
| 1209C3 | 45 mm | 85 mm | 19 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 11 X 1000 rpm |
| 1209J | 45 mm | 85 mm | 19 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 11 X 1000 rpm |
| 1209TN | 45 mm | 85 mm | 19 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 11 X 1000 rpm |
| 1209 EKTN9/C3 | 45 mm | 85 mm | 19 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 11 X 1000 rpm |
| 1209 EKTN9/C3W64 | 45 mm | 85 mm | 19 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 11 X 1000 rpm |
| 1209 EKTN9/W64 | 45 mm | 85 mm | 19 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 11 X 1000 rpm |
| 1209 K | 45 mm | 85 mm | 19 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 11 X 1000 rpm |



1200 Series Self Aligning Ball Bearings

| Part Number | Bore diameter | Outside diameter | Width | Bore type | Seal type | Ring material | Ball material | Limiting speed |
|----------------------------------|----------------------|-------------------------|--------------|------------------|------------------|----------------------|----------------------|-----------------------|
| 1209 KC3 | 45 mm | 85 mm | 19 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 11 X 1000 rpm |
| 1209-K-TVH | 45 mm | 85 mm | 19 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 11 X 1000 rpm |
| 1209-K-TVH-C3 | 45 mm | 85 mm | 19 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 11 X 1000 rpm |
| 1209K | 45 mm | 85 mm | 19 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 11 X 1000 rpm |
| 1209KC3 | 45 mm | 85 mm | 19 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 11 X 1000 rpm |
| 1209KJ | 45 mm | 85 mm | 19 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 11 X 1000 rpm |
| 1209KJC3 | 45 mm | 85 mm | 19 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 11 X 1000 rpm |
| 1209KTN | 45 mm | 85 mm | 19 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 11 X 1000 rpm |
| 1209KTNC3 | 45 mm | 85 mm | 19 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 11 X 1000 rpm |
| 1209 EKTN9 | 45 mm | 85 mm | 19 mm | - | Open | Chrome Steel | Chrome Steel | 11 X 1000 rpm |
| 1209 ETN9 | 45 mm | 85 mm | 19 mm | - | Open | Chrome Steel | Chrome Steel | 11 X 1000 rpm |
| 1210 | 50 mm | 90 mm | 20 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 10 X 1000 rpm |
| 1210 C/3 | 50 mm | 90 mm | 20 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 10 X 1000 rpm |
| 1210 C3 | 50 mm | 90 mm | 20 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 10 X 1000 rpm |
| 1210 ETN9/C3 | 50 mm | 90 mm | 20 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 10 X 1000 rpm |
| 1210 ETN9/W64 | 50 mm | 90 mm | 20 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 10 X 1000 rpm |
| 1210-TVH | 50 mm | 90 mm | 20 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 10 X 1000 rpm |
| 1210-TVH-C3 | 50 mm | 90 mm | 20 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 10 X 1000 rpm |
| 1210C3 | 50 mm | 90 mm | 20 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 10 X 1000 rpm |
| 1210J | 50 mm | 90 mm | 20 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 10 X 1000 rpm |
| 1210TN | 50 mm | 90 mm | 20 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 10 X 1000 rpm |
| 1210TNC3 | 50 mm | 90 mm | 20 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 10 X 1000 rpm |
| 1210 EKTN9/C3 | 50 mm | 90 mm | 20 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 10 X 1000 rpm |
| 1210 EKTN9/C3W64 | 50 mm | 90 mm | 20 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 10 X 1000 rpm |
| 1210 EKTN9/W64 | 50 mm | 90 mm | 20 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 10 X 1000 rpm |
| 1210 K | 50 mm | 90 mm | 20 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 10 X 1000 rpm |
| 1210 KC3 | 50 mm | 90 mm | 20 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 10 X 1000 rpm |
| 1210-K C/3 | 50 mm | 90 mm | 20 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 10 X 1000 rpm |
| 1210-K-TVH | 50 mm | 90 mm | 20 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 10 X 1000 rpm |
| 1210-K-TVH-C3 | 50 mm | 90 mm | 20 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 10 X 1000 rpm |
| 1210K | 50 mm | 90 mm | 20 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 10 X 1000 rpm |
| 1210KC3 | 50 mm | 90 mm | 20 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 10 X 1000 rpm |
| 1210KC3 5 | 50 mm | 90 mm | 20 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 10 X 1000 rpm |
| 1210KJ | 50 mm | 90 mm | 20 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 10 X 1000 rpm |
| 1210KJC3 | 50 mm | 90 mm | 20 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 10 X 1000 rpm |
| 1210KTN | 50 mm | 90 mm | 20 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 10 X 1000 rpm |
| 1210KTNC3 | 50 mm | 90 mm | 20 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 10 X 1000 rpm |
| 1210 EKTN9 | 50 mm | 90 mm | 20 mm | - | Open | Chrome Steel | Chrome Steel | 10 X 1000 rpm |



1200 Series Self Aligning Ball Bearings

| Part Number | Bore diameter | Outside diameter | Width | Bore type | Seal type | Ring material | Ball material | Limiting speed |
|----------------------------------|---------------|------------------|-------|-------------|-----------|---------------|---------------|----------------|
| 1210 ETN9 | 50 mm | 90 mm | 20 mm | - | Open | Chrome Steel | Chrome Steel | 10 X 1000 rpm |
| 1211 | 55 mm | 100 mm | 21 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 9 X 1000 rpm |
| 1211 C/2 | 55 mm | 100 mm | 21 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 9 X 1000 rpm |
| 1211 C/3 | 55 mm | 100 mm | 21 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 9 X 1000 rpm |
| 1211 C3 | 55 mm | 100 mm | 21 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 9 X 1000 rpm |
| 1211 ETN9/C3 | 55 mm | 100 mm | 21 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 9 X 1000 rpm |
| 1211 ETN9/W64 | 55 mm | 100 mm | 21 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 9 X 1000 rpm |
| 1211 P/6 | 55 mm | 100 mm | 21 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 9 X 1000 rpm |
| 1211-TVH | 55 mm | 100 mm | 21 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 9 X 1000 rpm |
| 1211-TVH-C3 | 55 mm | 100 mm | 21 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 9 X 1000 rpm |
| 1211C3 | 55 mm | 100 mm | 21 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 9 X 1000 rpm |
| 1211J | 55 mm | 100 mm | 21 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 9 X 1000 rpm |
| 1211TN | 55 mm | 100 mm | 21 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 9 X 1000 rpm |
| 1211 EKTN9/C3 | 55 mm | 100 mm | 21 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 9 X 1000 rpm |
| 1211 EKTN9/C3W64 | 55 mm | 100 mm | 21 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 9 X 1000 rpm |
| 1211 EKTN9/W64 | 55 mm | 100 mm | 21 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 9 X 1000 rpm |
| 1211 ETN9/VK313 | 55 mm | 100 mm | 21 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 9 X 1000 rpm |
| 1211 K | 55 mm | 100 mm | 21 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 9 X 1000 rpm |
| 1211 KC3 | 55 mm | 100 mm | 21 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 9 X 1000 rpm |
| 1211-K C/3 | 55 mm | 100 mm | 21 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 9 X 1000 rpm |
| 1211-K-TVH | 55 mm | 100 mm | 21 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 9 X 1000 rpm |
| 1211-K-TVH-C3 | 55 mm | 100 mm | 21 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 9 X 1000 rpm |
| 1211K | 55 mm | 100 mm | 21 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 9 X 1000 rpm |
| 1211KC3 | 55 mm | 100 mm | 21 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 9 X 1000 rpm |
| 1211KJ | 55 mm | 100 mm | 21 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 9 X 1000 rpm |
| 1211KJC3 | 55 mm | 100 mm | 21 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 9 X 1000 rpm |
| 1211KTN | 55 mm | 100 mm | 21 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 9 X 1000 rpm |
| 1211KTNC3 | 55 mm | 100 mm | 21 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 9 X 1000 rpm |
| 1211 EKTN9 | 55 mm | 100 mm | 21 mm | - | Open | Chrome Steel | Chrome Steel | 9 X 1000 rpm |
| 1211 ETN9 | 55 mm | 100 mm | 21 mm | - | Open | Chrome Steel | Chrome Steel | 9 X 1000 rpm |
| 1212 | 60 mm | 110 mm | 22 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 8 X 1000 rpm |
| 1212 C/3 | 60 mm | 110 mm | 22 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 8 X 1000 rpm |
| 1212 C3 | 60 mm | 110 mm | 22 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 8 X 1000 rpm |
| 1212 ETN9/C3 | 60 mm | 110 mm | 22 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 8 X 1000 rpm |
| 1212 ETN9/W64 | 60 mm | 110 mm | 22 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 8 X 1000 rpm |
| 1212 P/6 | 60 mm | 110 mm | 22 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 8 X 1000 rpm |
| 1212-TVH | 60 mm | 110 mm | 22 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 8 X 1000 rpm |
| 1212-TVH-C3 | 60 mm | 110 mm | 22 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 8 X 1000 rpm |



1200 Series Self Aligning Ball Bearings

| Part Number | Bore diameter | Outside diameter | Width | Bore type | Seal type | Ring material | Ball material | Limiting speed |
|--------------------------------|---------------|------------------|-------|-------------|-----------|---------------|---------------|----------------|
| 1212C3 | 60 mm | 110 mm | 22 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 8 X 1000 rpm |
| 1212J | 60 mm | 110 mm | 22 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 8 X 1000 rpm |
| 1212JC3 | 60 mm | 110 mm | 22 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 8 X 1000 rpm |
| 1212TN | 60 mm | 110 mm | 22 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 8 X 1000 rpm |
| 1212 EKTN9/C3 | 60 mm | 110 mm | 22 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 8 X 1000 rpm |
| 1212 EKTN9/W64 | 60 mm | 110 mm | 22 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 8 X 1000 rpm |
| 1212 K | 60 mm | 110 mm | 22 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 8 X 1000 rpm |
| 1212 KC3 | 60 mm | 110 mm | 22 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 8 X 1000 rpm |
| 1212-K C/3 | 60 mm | 110 mm | 22 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 8 X 1000 rpm |
| 1212-K-TVH | 60 mm | 110 mm | 22 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 8 X 1000 rpm |
| 1212-K-TVH-C3 | 60 mm | 110 mm | 22 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 8 X 1000 rpm |
| 1212K | 60 mm | 110 mm | 22 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 8 X 1000 rpm |
| 1212KC3 | 60 mm | 110 mm | 22 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 8 X 1000 rpm |
| 1212KJ | 60 mm | 110 mm | 22 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 8 X 1000 rpm |
| 1212KJC3 | 60 mm | 110 mm | 22 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 8 X 1000 rpm |
| 1212KTN | 60 mm | 110 mm | 22 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 8 X 1000 rpm |
| 1212 EKTN9 | 60 mm | 110 mm | 22 mm | - | Open | Chrome Steel | Chrome Steel | 8 X 1000 rpm |
| 1212 ETN9 | 60 mm | 110 mm | 22 mm | - | Open | Chrome Steel | Chrome Steel | 8 X 1000 rpm |
| 1213-TVH | 65 mm | 120 mm | 23 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 7 X 1000 rpm |
| 1213-TVH-C3 | 65 mm | 120 mm | 23 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 7 X 1000 rpm |
| 1213C3 | 65 mm | 120 mm | 23 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 7 X 1000 rpm |
| 1213J | 65 mm | 120 mm | 23 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 7 X 1000 rpm |
| 1213JC3 | 65 mm | 120 mm | 23 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 7 X 1000 rpm |
| 1213 | 65 mm | 120 mm | 23 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 7 X 1000 rpm |
| 1213 C/3 | 65 mm | 120 mm | 23 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 7 X 1000 rpm |
| 1213 C3 | 65 mm | 120 mm | 23 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 7 X 1000 rpm |
| 1213 ETN9/C3 | 65 mm | 120 mm | 23 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 7 X 1000 rpm |
| 1213 K | 65 mm | 120 mm | 23 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 7 X 1000 rpm |
| 1213 KC3 | 65 mm | 120 mm | 23 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 7 X 1000 rpm |
| 1213-K C/3 | 65 mm | 120 mm | 23 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 7 X 1000 rpm |
| 1213-K C/4 | 65 mm | 120 mm | 23 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 7 X 1000 rpm |
| 1213-K P/6 C/3 | 65 mm | 120 mm | 23 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 7 X 1000 rpm |
| 1213-K-TVH | 65 mm | 120 mm | 23 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 7 X 1000 rpm |
| 1213-K-TVH-C3 | 65 mm | 120 mm | 23 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 7 X 1000 rpm |
| 1213K | 65 mm | 120 mm | 23 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 7 X 1000 rpm |
| 1213KC3 | 65 mm | 120 mm | 23 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 7 X 1000 rpm |
| 1213KJ | 65 mm | 120 mm | 23 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 7 X 1000 rpm |
| 1213KJC3 | 65 mm | 120 mm | 23 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 7 X 1000 rpm |
| 1213KTN | 65 mm | 120 mm | 23 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 7 X 1000 rpm |



1200 Series Self Aligning Ball Bearings

| Part Number | Bore diameter | Outside diameter | Width | Bore type | Seal type | Ring material | Ball material | Limiting speed |
|----------------------------------|---------------|------------------|-------|-------------|-----------|---------------|---------------|----------------|
| 1213 EKTN9/C3 | 65 mm | 120 mm | 23 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 7 X 1000 rpm |
| 1213 EKTN9/C3W64 | 65 mm | 120 mm | 23 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 7 X 1000 rpm |
| 1213 EKTN9/W64 | 65 mm | 120 mm | 23 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 7 X 1000 rpm |
| 1213 EKTN9 | 65 mm | 120 mm | 23 mm | - | Open | Chrome Steel | Chrome Steel | 7 X 1000 rpm |
| 1213 ETN9 | 65 mm | 120 mm | 23 mm | - | Open | Chrome Steel | Chrome Steel | 7 X 1000 rpm |
| 1214 C/2 | 70 mm | 125 mm | 24 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 7 X 1000 rpm |
| 1214 ETN9/W64 | 70 mm | 125 mm | 24 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 7 X 1000 rpm |
| 1214-TVH | 70 mm | 125 mm | 24 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 7 X 1000 rpm |
| 1214-TVH-C3 | 70 mm | 125 mm | 24 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 7 X 1000 rpm |
| 1214C3 | 70 mm | 125 mm | 24 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 7 X 1000 rpm |
| 1214C3 BCA | 70 mm | 125 mm | 24 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 7 X 1000 rpm |
| 1214J | 70 mm | 125 mm | 24 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 7 X 1000 rpm |
| 1214 K | 70 mm | 125 mm | 24 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 7 X 1000 rpm |
| 1214 K/C3 | 70 mm | 125 mm | 24 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 7 X 1000 rpm |
| 1214-K C/3 | 70 mm | 125 mm | 24 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 7 X 1000 rpm |
| 1214-K-TVH-C3 | 70 mm | 125 mm | 24 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 7 X 1000 rpm |
| 1214K | 70 mm | 125 mm | 24 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 7 X 1000 rpm |
| 1214KC3 | 70 mm | 125 mm | 24 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 7 X 1000 rpm |
| 1214KJ | 70 mm | 125 mm | 24 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 7 X 1000 rpm |
| 1214 ETN9 | 70 mm | 125 mm | 24 mm | - | Open | Chrome Steel | Chrome Steel | 7 X 1000 rpm |
| 1215-TVH | 75 mm | 130 mm | 25 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 6.7 X 1000 rpm |
| 1215-TVH-C3 | 75 mm | 130 mm | 25 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 6.7 X 1000 rpm |
| 1215/C3 | 75 mm | 130 mm | 25 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 6.7 X 1000 rpm |
| 1215/W64 | 75 mm | 130 mm | 25 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 6.7 X 1000 rpm |
| 1215/W64F | 75 mm | 130 mm | 25 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 6.7 X 1000 rpm |
| 1215C3 | 75 mm | 130 mm | 25 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 6.7 X 1000 rpm |
| 1215J | 75 mm | 130 mm | 25 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 6.7 X 1000 rpm |
| 1215 K/C3 | 75 mm | 130 mm | 25 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 6.7 X 1000 rpm |
| 1215 KC3 | 75 mm | 130 mm | 25 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 6.7 X 1000 rpm |
| 1215-K C/3 | 75 mm | 130 mm | 25 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 6.7 X 1000 rpm |
| 1215-K-TVH-C3 | 75 mm | 130 mm | 25 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 6.7 X 1000 rpm |
| 1215K | 75 mm | 130 mm | 25 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 6.7 X 1000 rpm |
| 1215K C3 | 75 mm | 130 mm | 25 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 6.7 X 1000 rpm |
| 1215KC3 | 75 mm | 130 mm | 25 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 6.7 X 1000 rpm |
| 1215KJ | 75 mm | 130 mm | 25 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 6.7 X 1000 rpm |
| 1215KJC3 | 75 mm | 130 mm | 25 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 6.7 X 1000 rpm |
| 1215 | 75 mm | 130 mm | 25 mm | - | Open | Chrome Steel | Chrome Steel | 6.7 X 1000 rpm |
| 1215 K | 75 mm | 130 mm | 25 mm | - | Open | Chrome Steel | Chrome Steel | 6.7 X 1000 rpm |



1200 Series Self Aligning Ball Bearings

| Part Number | Bore diameter | Outside diameter | Width | Bore type | Seal type | Ring material | Ball material | Limiting speed |
|-------------------------------|---------------|------------------|-------|-------------|-----------|---------------|---------------|----------------|
| 1216 C/3 | 80 mm | 140 mm | 26 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 6 X 1000 rpm |
| 1216 P/6 | 80 mm | 140 mm | 26 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 6 X 1000 rpm |
| 1216-TVH | 80 mm | 140 mm | 26 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 6 X 1000 rpm |
| 1216-TVH-C3 | 80 mm | 140 mm | 26 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 6 X 1000 rpm |
| 1216/C3 | 80 mm | 140 mm | 26 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 6 X 1000 rpm |
| 1216C3 | 80 mm | 140 mm | 26 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 6 X 1000 rpm |
| 1216J | 80 mm | 140 mm | 26 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 6 X 1000 rpm |
| 1216 K/C3 | 80 mm | 140 mm | 26 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 6 X 1000 rpm |
| 1216 KC3 | 80 mm | 140 mm | 26 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 6 X 1000 rpm |
| 1216-K-TVH-C3 | 80 mm | 140 mm | 26 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 6 X 1000 rpm |
| 1216K | 80 mm | 140 mm | 26 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 6 X 1000 rpm |
| 1216KC3 | 80 mm | 140 mm | 26 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 6 X 1000 rpm |
| 1216KJ | 80 mm | 140 mm | 26 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 6 X 1000 rpm |
| 1216KJC3 | 80 mm | 140 mm | 26 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 6 X 1000 rpm |
| 1216 K | 80 mm | 140 mm | 26 mm | - | Open | Chrome Steel | Chrome Steel | 6 X 1000 rpm |
| 1217 C/3 | 85 mm | 150 mm | 28 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 5.6 X 1000 rpm |
| 1217-TVH | 85 mm | 150 mm | 28 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 5.6 X 1000 rpm |
| 1217-TVH-C3 | 85 mm | 150 mm | 28 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 5.6 X 1000 rpm |
| 1217/C3 | 85 mm | 150 mm | 28 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 5.6 X 1000 rpm |
| 1217C3 | 85 mm | 150 mm | 28 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 5.6 X 1000 rpm |
| 1217 K/C3 | 85 mm | 150 mm | 28 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 5.6 X 1000 rpm |
| 1217 KC3 | 85 mm | 150 mm | 28 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 5.6 X 1000 rpm |
| 1217-K C/3 | 85 mm | 150 mm | 28 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 5.6 X 1000 rpm |
| 1217-K-TVH-C3 | 85 mm | 150 mm | 28 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 5.6 X 1000 rpm |
| 1217K | 85 mm | 150 mm | 28 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 5.6 X 1000 rpm |
| 1217KC3 | 85 mm | 150 mm | 28 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 5.6 X 1000 rpm |
| 1217KJC3 | 85 mm | 150 mm | 28 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 5.6 X 1000 rpm |
| 1217SK | 85 mm | 150 mm | 28 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 5.6 X 1000 rpm |
| 1217 | 85 mm | 150 mm | 28 mm | - | Open | Chrome Steel | Chrome Steel | 5.6 X 1000 rpm |
| 1217 K | 85 mm | 150 mm | 28 mm | - | Open | Chrome Steel | Chrome Steel | 5.6 X 1000 rpm |
| 1218 C/3 | 90 mm | 160 mm | 30 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 5.3 X 1000 rpm |
| 1218-TVH | 90 mm | 160 mm | 30 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 5.3 X 1000 rpm |
| 1218-TVH-C3 | 90 mm | 160 mm | 30 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 5.3 X 1000 rpm |
| 1218-TVH-C5 | 90 mm | 160 mm | 30 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 5.3 X 1000 rpm |
| 1218/C3 | 90 mm | 160 mm | 30 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 5.3 X 1000 rpm |
| 1218/C4 | 90 mm | 160 mm | 30 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 5.3 X 1000 rpm |
| 1218C3 | 90 mm | 160 mm | 30 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 5.3 X 1000 rpm |
| 1218J | 90 mm | 160 mm | 30 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 5.3 X 1000 rpm |
| 1218 K/C3 | 90 mm | 160 mm | 30 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 5.3 X 1000 rpm |



1200 Series Self Aligning Ball Bearings

| Part Number | Bore diameter | Outside diameter | Width | Bore type | Seal type | Ring material | Ball material | Limiting speed |
|-------------------------------|---------------|------------------|-------|-------------|-----------|---------------|---------------|----------------|
| 1218 K/C4 | 90 mm | 160 mm | 30 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 5.3 X 1000 rpm |
| 1218 KC3 | 90 mm | 160 mm | 30 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 5.3 X 1000 rpm |
| 1218-K C/3 | 90 mm | 160 mm | 30 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 5.3 X 1000 rpm |
| 1218-K C/4 | 90 mm | 160 mm | 30 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 5.3 X 1000 rpm |
| 1218-K-TVH-C3 | 90 mm | 160 mm | 30 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 5.3 X 1000 rpm |
| 1218-K-TVH-C4 | 90 mm | 160 mm | 30 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 5.3 X 1000 rpm |
| 1218K | 90 mm | 160 mm | 30 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 5.3 X 1000 rpm |
| 1218KC3 | 90 mm | 160 mm | 30 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 5.3 X 1000 rpm |
| 1218KJ | 90 mm | 160 mm | 30 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 5.3 X 1000 rpm |
| 1218 | 90 mm | 160 mm | 30 mm | - | Open | Chrome Steel | Chrome Steel | 5.3 X 1000 rpm |
| 1218 K | 90 mm | 160 mm | 30 mm | - | Open | Chrome Steel | Chrome Steel | 5.3 X 1000 rpm |
| 1219 C/3 | 95 mm | 170 mm | 32 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 5 X 1000 rpm |
| 1219-M | 95 mm | 170 mm | 32 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 5 X 1000 rpm |
| 1219/C3 | 95 mm | 170 mm | 32 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 5 X 1000 rpm |
| 1219J | 95 mm | 170 mm | 32 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 5 X 1000 rpm |
| 1219 K/C3 | 95 mm | 170 mm | 32 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 5 X 1000 rpm |
| 1219 KC3 | 95 mm | 170 mm | 32 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 5 X 1000 rpm |
| 1219-K C/3 | 95 mm | 170 mm | 32 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 5 X 1000 rpm |
| 1219-K-M-C3 | 95 mm | 170 mm | 32 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 5 X 1000 rpm |
| 1219K | 95 mm | 170 mm | 32 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 5 X 1000 rpm |
| 1219KC3 | 95 mm | 170 mm | 32 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 5 X 1000 rpm |
| 1219 | 95 mm | 170 mm | 32 mm | - | Open | Chrome Steel | Chrome Steel | 5 X 1000 rpm |
| 1219 K | 95 mm | 170 mm | 32 mm | - | Open | Chrome Steel | Chrome Steel | 5 X 1000 rpm |
| 1220 C/3 | 100 mm | 180 mm | 34 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 4.8 X 1000 rpm |
| 1220-M | 100 mm | 180 mm | 34 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 4.8 X 1000 rpm |
| 1220-M-C3 | 100 mm | 180 mm | 34 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 4.8 X 1000 rpm |
| 1220/C3 | 100 mm | 180 mm | 34 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 4.8 X 1000 rpm |
| 1220/W64 | 100 mm | 180 mm | 34 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 4.8 X 1000 rpm |
| 1220C3 | 100 mm | 180 mm | 34 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 4.8 X 1000 rpm |
| 1220J | 100 mm | 180 mm | 34 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 4.8 X 1000 rpm |
| 1220 KC3 | 100 mm | 180 mm | 34 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 4.8 X 1000 rpm |
| 1220-K C/3 | 100 mm | 180 mm | 34 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 4.8 X 1000 rpm |
| 1220-K-M-C3 | 100 mm | 180 mm | 34 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 4.8 X 1000 rpm |
| 1220-KM | 100 mm | 180 mm | 34 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 4.8 X 1000 rpm |
| 1220-KM C/3 | 100 mm | 180 mm | 34 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 4.8 X 1000 rpm |
| 1220K | 100 mm | 180 mm | 34 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 4.8 X 1000 rpm |
| 1220KC3 | 100 mm | 180 mm | 34 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 4.8 X 1000 rpm |
| 1220KC4 | 100 mm | 180 mm | 34 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 4.8 X 1000 rpm |
| 1220KJ | 100 mm | 180 mm | 34 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 4.8 X 1000 rpm |



1200 Series Self Aligning Ball Bearings

| Part Number | Bore diameter | Outside diameter | Width | Bore type | Seal type | Ring material | Ball material | Limiting speed |
|-----------------------------|----------------------|-------------------------|--------------|------------------|------------------|----------------------|----------------------|-----------------------|
| 1220KJC3 | 100 mm | 180 mm | 34 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 4.8 X 1000 rpm |
| 1220 | 100 mm | 180 mm | 34 mm | - | Open | Chrome Steel | Chrome Steel | 4.8 X 1000 rpm |
| 1220 K | 100 mm | 180 mm | 34 mm | - | Open | Chrome Steel | Chrome Steel | 4.8 X 1000 rpm |
| 1222 C/3 | 110 mm | 200 mm | 38 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 4.3 X 1000 rpm |
| 1222-M | 110 mm | 200 mm | 38 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 4.3 X 1000 rpm |
| 1222-M-C3 | 110 mm | 200 mm | 38 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 4.3 X 1000 rpm |
| 1222/C3 | 110 mm | 200 mm | 38 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 4.3 X 1000 rpm |
| 1222J | 110 mm | 200 mm | 38 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 4.3 X 1000 rpm |
| 1222S | 110 mm | 200 mm | 38 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 4.3 X 1000 rpm |
| 1222 K/C3 | 110 mm | 200 mm | 38 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 4.3 X 1000 rpm |
| 1222 KC3 | 110 mm | 200 mm | 38 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 4.3 X 1000 rpm |
| 1222-K C/3 | 110 mm | 200 mm | 38 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 4.3 X 1000 rpm |
| 1222-K-M-C3 | 110 mm | 200 mm | 38 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 4.3 X 1000 rpm |
| 1222-KM | 110 mm | 200 mm | 38 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 4.3 X 1000 rpm |
| 1222K | 110 mm | 200 mm | 38 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 4.3 X 1000 rpm |
| 1222KC3 | 110 mm | 200 mm | 38 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 4.3 X 1000 rpm |
| 1222KJC3 | 110 mm | 200 mm | 38 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 4.3 X 1000 rpm |
| 1222 | 110 mm | 200 mm | 38 mm | - | Open | Chrome Steel | Chrome Steel | 4.3 X 1000 rpm |
| 1222 K | 110 mm | 200 mm | 38 mm | - | Open | Chrome Steel | Chrome Steel | 4.3 X 1000 rpm |
| 1224 M C/3 | 120 mm | 215 mm | 42 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 4 X 1000 rpm |
| 1224-M-C3 | 120 mm | 215 mm | 42 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 4 X 1000 rpm |
| 1224M | 120 mm | 215 mm | 42 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 4 X 1000 rpm |
| 1224MC3 | 120 mm | 215 mm | 42 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 4 X 1000 rpm |
| 1224 KM/C3 | 120 mm | 215 mm | 42 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 4 X 1000 rpm |
| 1224-KM C/3 | 120 mm | 215 mm | 42 mm | Taper 1:12 | Open | Chrome Steel | Chrome Steel | 4 X 1000 rpm |
| 1224 KM | 120 mm | 215 mm | 42 mm | - | Open | Chrome Steel | Chrome Steel | 4 X 1000 rpm |
| 1224 M | 120 mm | 215 mm | 42 mm | - | Open | Chrome Steel | Chrome Steel | 4 X 1000 rpm |
| 1226 | 130 mm | 230 mm | 46 mm | Cylindrical | Open | Chrome Steel | Chrome Steel | 3.6 X 1000 rpm |
| 1226 KM | 130 mm | 230 mm | 46 mm | - | Open | Chrome Steel | Chrome Steel | 3.6 X 1000 rpm |
| 1226 M | 130 mm | 230 mm | 46 mm | - | Open | Chrome Steel | Chrome Steel | 3.6 X 1000 rpm |