



*Metric Constant Section Ball Bearings*

<b>Part Number</b>	<b>Bore diameter</b>	<b>Outside diameter</b>	<b>Width</b>	<b>For load direction</b>	<b>Seal type</b>	<b>Ring material</b>	<b>Ball material</b>
<a href="#">S03503AS0</a>	35 mm	41 mm	2.5 mm	Angular Contact	Open	Stainless Steel	Stainless Steel
<a href="#">S03503XS0</a>	35 mm	41 mm	2.5 mm	Four Point Contact	Open	Stainless Steel	Stainless Steel
<a href="#">S03503CS0</a>	35 mm	41 mm	2.5 mm	Radial	Open	Stainless Steel	Stainless Steel
<a href="#">S06003AS0</a>	60 mm	66 mm	2.5 mm	Angular Contact	Open	Stainless Steel	Stainless Steel
<a href="#">S06003XS0</a>	60 mm	66 mm	2.5 mm	Four Point Contact	Open	Stainless Steel	Stainless Steel
<a href="#">S06003CS0</a>	60 mm	66 mm	2.5 mm	Radial	Open	Stainless Steel	Stainless Steel
<a href="#">S07003AS0</a>	70 mm	76 mm	2.5 mm	Angular Contact	Open	Stainless Steel	Stainless Steel
<a href="#">S07003XS0</a>	70 mm	76 mm	2.5 mm	Four Point Contact	Open	Stainless Steel	Stainless Steel
<a href="#">S07003CS0</a>	70 mm	76 mm	2.5 mm	Radial	Open	Stainless Steel	Stainless Steel
<a href="#">S07403AS0</a>	74 mm	80 mm	2.5 mm	Angular Contact	Open	Stainless Steel	Stainless Steel
<a href="#">S07403XS0</a>	74 mm	80 mm	2.5 mm	Four Point Contact	Open	Stainless Steel	Stainless Steel
<a href="#">S07403CS0</a>	74 mm	80 mm	2.5 mm	Radial	Open	Stainless Steel	Stainless Steel
<a href="#">S08003AS0</a>	80 mm	86 mm	2.5 mm	Angular Contact	Open	Stainless Steel	Stainless Steel
<a href="#">S08003XS0</a>	80 mm	86 mm	2.5 mm	Four Point Contact	Open	Stainless Steel	Stainless Steel
<a href="#">S08003CS0</a>	80 mm	86 mm	2.5 mm	Radial	Open	Stainless Steel	Stainless Steel
<a href="#">S09003AS0</a>	90 mm	96 mm	2.5 mm	Angular Contact	Open	Stainless Steel	Stainless Steel
<a href="#">S09003XS0</a>	90 mm	96 mm	2.5 mm	Four Point Contact	Open	Stainless Steel	Stainless Steel
<a href="#">S09003CS0</a>	90 mm	96 mm	2.5 mm	Radial	Open	Stainless Steel	Stainless Steel
<a href="#">S10003AS0</a>	100 mm	106 mm	2.5 mm	Angular Contact	Open	Stainless Steel	Stainless Steel
<a href="#">S10003XS0</a>	100 mm	106 mm	2.5 mm	Four Point Contact	Open	Stainless Steel	Stainless Steel
<a href="#">S10003CS0</a>	100 mm	106 mm	2.5 mm	Radial	Open	Stainless Steel	Stainless Steel
<a href="#">S11003AS0</a>	110 mm	116 mm	2.5 mm	Angular Contact	Open	Stainless Steel	Stainless Steel
<a href="#">S11003XS0</a>	110 mm	116 mm	2.5 mm	Four Point Contact	Open	Stainless Steel	Stainless Steel
<a href="#">S11003CS0</a>	110 mm	116 mm	2.5 mm	Radial	Open	Stainless Steel	Stainless Steel
<a href="#">S12003AS0</a>	120 mm	126 mm	2.5 mm	Angular Contact	Open	Stainless Steel	Stainless Steel
<a href="#">S12003XS0</a>	120 mm	126 mm	2.5 mm	Four Point Contact	Open	Stainless Steel	Stainless Steel
<a href="#">S12003CS0</a>	120 mm	126 mm	2.5 mm	Radial	Open	Stainless Steel	Stainless Steel
<a href="#">S13003AS0</a>	130 mm	136 mm	2.5 mm	Angular Contact	Open	Stainless Steel	Stainless Steel
<a href="#">S13003XS0</a>	130 mm	136 mm	2.5 mm	Four Point Contact	Open	Stainless Steel	Stainless Steel
<a href="#">S13003CS0</a>	130 mm	136 mm	2.5 mm	Radial	Open	Stainless Steel	Stainless Steel
<a href="#">S14003AS0</a>	140 mm	146 mm	2.5 mm	Angular Contact	Open	Stainless Steel	Stainless Steel
<a href="#">S14003XS0</a>	140 mm	146 mm	2.5 mm	Four Point Contact	Open	Stainless Steel	Stainless Steel
<a href="#">S14003CS0</a>	140 mm	146 mm	2.5 mm	Radial	Open	Stainless Steel	Stainless Steel
<a href="#">S15003AS0</a>	150 mm	156 mm	2.5 mm	Angular Contact	Open	Stainless Steel	Stainless Steel
<a href="#">S15003XS0</a>	150 mm	156 mm	2.5 mm	Four Point Contact	Open	Stainless Steel	Stainless Steel
<a href="#">S15003CS0</a>	150 mm	156 mm	2.5 mm	Radial	Open	Stainless Steel	Stainless Steel
<a href="#">S16003AS0</a>	160 mm	166 mm	2.5 mm	Angular Contact	Open	Stainless Steel	Stainless Steel
<a href="#">S16003XS0</a>	160 mm	166 mm	2.5 mm	Four Point Contact	Open	Stainless Steel	Stainless Steel
<a href="#">S16003CS0</a>	160 mm	166 mm	2.5 mm	Radial	Open	Stainless Steel	Stainless Steel



*Metric Constant Section Ball Bearings*

<b>Part Number</b>	<b>Bore diameter</b>	<b>Outside diameter</b>	<b>Width</b>	<b>For load direction</b>	<b>Seal type</b>	<b>Ring material</b>	<b>Ball material</b>
<a href="#">S17003AS0</a>	170 mm	176 mm	2.5 mm	Angular Contact	Open	Stainless Steel	Stainless Steel
<a href="#">S17003XS0</a>	170 mm	176 mm	2.5 mm	Four Point Contact	Open	Stainless Steel	Stainless Steel
<a href="#">S17003CS0</a>	170 mm	176 mm	2.5 mm	Radial	Open	Stainless Steel	Stainless Steel
<a href="#">K02508AR0</a>	25 mm	41 mm	8 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K02508XP0</a>	25 mm	41 mm	8 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">J02508XP0</a>	25 mm	41 mm	8 mm	Four Point Contact	Sealed	Chrome Steel	Chrome Steel
<a href="#">K02508CP0</a>	25 mm	41 mm	8 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">J02508CP0</a>	25 mm	41 mm	8 mm	Radial	Sealed	Chrome Steel	Chrome Steel
<a href="#">K05008AR0</a>	50 mm	66 mm	8 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K05008XP0</a>	50 mm	66 mm	8 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">J05008XP0</a>	50 mm	66 mm	8 mm	Four Point Contact	Sealed	Chrome Steel	Chrome Steel
<a href="#">K05008CP0</a>	50 mm	66 mm	8 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">J05008CP0</a>	50 mm	66 mm	8 mm	Radial	Sealed	Chrome Steel	Chrome Steel
<a href="#">K06008AR0</a>	60 mm	76 mm	8 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K06008XP0</a>	60 mm	76 mm	8 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">J06008XP0</a>	60 mm	76 mm	8 mm	Four Point Contact	Sealed	Chrome Steel	Chrome Steel
<a href="#">K06008CP0</a>	60 mm	76 mm	8 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">J06008CP0</a>	60 mm	76 mm	8 mm	Radial	Sealed	Chrome Steel	Chrome Steel
<a href="#">K07008AR0</a>	70 mm	86 mm	8 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K07008XP0</a>	70 mm	86 mm	8 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">J07008XP0</a>	70 mm	86 mm	8 mm	Four Point Contact	Sealed	Chrome Steel	Chrome Steel
<a href="#">K07008CP0</a>	70 mm	86 mm	8 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">J07008CP0</a>	70 mm	86 mm	8 mm	Radial	Sealed	Chrome Steel	Chrome Steel
<a href="#">K08008AR0</a>	80 mm	96 mm	8 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K08008XP0</a>	80 mm	96 mm	8 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">J08008XP0</a>	80 mm	96 mm	8 mm	Four Point Contact	Sealed	Chrome Steel	Chrome Steel
<a href="#">K08008CP0</a>	80 mm	96 mm	8 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">J08008CP0</a>	80 mm	96 mm	8 mm	Radial	Sealed	Chrome Steel	Chrome Steel
<a href="#">K09008AR0</a>	90 mm	106 mm	8 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K09008XP0</a>	90 mm	106 mm	8 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">J09008XP0</a>	90 mm	106 mm	8 mm	Four Point Contact	Sealed	Chrome Steel	Chrome Steel
<a href="#">K09008CP0</a>	90 mm	106 mm	8 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">J09008CP0</a>	90 mm	106 mm	8 mm	Radial	Sealed	Chrome Steel	Chrome Steel
<a href="#">K10008AR0</a>	100 mm	116 mm	8 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K10008XP0</a>	100 mm	116 mm	8 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">J10008XP0</a>	100 mm	116 mm	8 mm	Four Point Contact	Sealed	Chrome Steel	Chrome Steel
<a href="#">K10008CP0</a>	100 mm	116 mm	8 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">J10008CP0</a>	100 mm	116 mm	8 mm	Radial	Sealed	Chrome Steel	Chrome Steel
<a href="#">K11008AR0</a>	110 mm	126 mm	8 mm	Angular Contact	Open	Chrome Steel	Chrome Steel



*Metric Constant Section Ball Bearings*

<b>Part Number</b>	<b>Bore diameter</b>	<b>Outside diameter</b>	<b>Width</b>	<b>For load direction</b>	<b>Seal type</b>	<b>Ring material</b>	<b>Ball material</b>
<a href="#">K11008XP0</a>	110 mm	126 mm	8 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">J11008XP0</a>	110 mm	126 mm	8 mm	Four Point Contact	Sealed	Chrome Steel	Chrome Steel
<a href="#">K11008CP0</a>	110 mm	126 mm	8 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">J11008CP0</a>	110 mm	126 mm	8 mm	Radial	Sealed	Chrome Steel	Chrome Steel
<a href="#">K12008AR0</a>	120 mm	136 mm	8 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K12008XP0</a>	120 mm	136 mm	8 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">J12008XP0</a>	120 mm	136 mm	8 mm	Four Point Contact	Sealed	Chrome Steel	Chrome Steel
<a href="#">K12008CP0</a>	120 mm	136 mm	8 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">J12008CP0</a>	120 mm	136 mm	8 mm	Radial	Sealed	Chrome Steel	Chrome Steel
<a href="#">K13008AR0</a>	130 mm	146 mm	8 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K13008XP0</a>	130 mm	146 mm	8 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">J13008XP0</a>	130 mm	146 mm	8 mm	Four Point Contact	Sealed	Chrome Steel	Chrome Steel
<a href="#">K13008CP0</a>	130 mm	146 mm	8 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">J13008CP0</a>	130 mm	146 mm	8 mm	Radial	Sealed	Chrome Steel	Chrome Steel
<a href="#">K14008AR0</a>	140 mm	156 mm	8 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K14008XP0</a>	140 mm	156 mm	8 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">J14008XP0</a>	140 mm	156 mm	8 mm	Four Point Contact	Sealed	Chrome Steel	Chrome Steel
<a href="#">K14008CP0</a>	140 mm	156 mm	8 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">J14008CP0</a>	140 mm	156 mm	8 mm	Radial	Sealed	Chrome Steel	Chrome Steel
<a href="#">K15008AR0</a>	150 mm	166 mm	8 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K15008xp0</a>	150 mm	166 mm	8 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">J15008XP0</a>	150 mm	166 mm	8 mm	Four Point Contact	Sealed	Chrome Steel	Chrome Steel
<a href="#">K15008CP0</a>	150 mm	166 mm	8 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">J15008CP0</a>	150 mm	166 mm	8 mm	Radial	Sealed	Chrome Steel	Chrome Steel
<a href="#">K16008AR0</a>	160 mm	176 mm	8 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K16008XP0</a>	160 mm	176 mm	8 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">J16008XP0</a>	160 mm	176 mm	8 mm	Four Point Contact	Sealed	Chrome Steel	Chrome Steel
<a href="#">K16008CP0</a>	160 mm	176 mm	8 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">J16008CP0</a>	160 mm	176 mm	8 mm	Radial	Sealed	Chrome Steel	Chrome Steel
<a href="#">K17008AR0</a>	170 mm	186 mm	8 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K17008XP0</a>	170 mm	186 mm	8 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">J17008XP0</a>	170 mm	186 mm	8 mm	Four Point Contact	Sealed	Chrome Steel	Chrome Steel
<a href="#">K17008CP0</a>	170 mm	186 mm	8 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">J17008CP0</a>	170 mm	186 mm	8 mm	Radial	Sealed	Chrome Steel	Chrome Steel
<a href="#">K18008AR0</a>	180 mm	196 mm	8 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K18008XP0</a>	180 mm	196 mm	8 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K18008CP0</a>	180 mm	196 mm	8 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">K19008AR0</a>	190 mm	206 mm	8 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K19008XP0</a>	190 mm	206 mm	8 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel



*Metric Constant Section Ball Bearings*

<b>Part Number</b>	<b>Bore diameter</b>	<b>Outside diameter</b>	<b>Width</b>	<b>For load direction</b>	<b>Seal type</b>	<b>Ring material</b>	<b>Ball material</b>
<a href="#">K19008CP0</a>	190 mm	206 mm	8 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">K20008AR0</a>	200 mm	216 mm	8 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K20008XP0</a>	200 mm	216 mm	8 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K20008CP0</a>	200 mm	216 mm	8 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">K25008AR0</a>	250 mm	266 mm	8 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K25008XP0</a>	250 mm	266 mm	8 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K25008CP0</a>	250 mm	266 mm	8 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">K30008AR0</a>	300 mm	316 mm	8 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K30008XP0</a>	300 mm	316 mm	8 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K30008CP0</a>	300 mm	316 mm	8 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">K32008AR0</a>	320 mm	336 mm	8 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K32008XP0</a>	320 mm	336 mm	8 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K32008XP0A</a>	320 mm	336 mm	8 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K32008CP0</a>	320 mm	336 mm	8 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">K34008AR0</a>	340 mm	356 mm	8 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K34008XP0</a>	340 mm	356 mm	8 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K34008CP0</a>	340 mm	356 mm	8 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">K36008AR0</a>	360 mm	376 mm	8 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K36008XP0</a>	360 mm	376 mm	8 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K36008CP0</a>	360 mm	376 mm	8 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">K02513AR0</a>	25 mm	51 mm	13 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K02513XP0</a>	25 mm	51 mm	13 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K02513CP0</a>	25 mm	51 mm	13 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">K05013AR0</a>	50 mm	76 mm	13 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K05013XP0</a>	50 mm	76 mm	13 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K05013CP0</a>	50 mm	76 mm	13 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">K06013AR0</a>	60 mm	86 mm	13 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K06013XP0</a>	60 mm	86 mm	13 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K06013CP0</a>	60 mm	86 mm	13 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">K07013AR0</a>	70 mm	96 mm	13 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K07013XP0</a>	70 mm	96 mm	13 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K07013CP0</a>	70 mm	96 mm	13 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">K08013AR0</a>	80 mm	106 mm	13 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K08013XP0</a>	80 mm	106 mm	13 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K08013CP0</a>	80 mm	106 mm	13 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">K09013AR0</a>	90 mm	116 mm	13 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K09013XP0</a>	90 mm	116 mm	13 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K09013CP0</a>	90 mm	116 mm	13 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">K10013AR0</a>	100 mm	126 mm	13 mm	Angular Contact	Open	Chrome Steel	Chrome Steel



*Metric Constant Section Ball Bearings*

<b>Part Number</b>	<b>Bore diameter</b>	<b>Outside diameter</b>	<b>Width</b>	<b>For load direction</b>	<b>Seal type</b>	<b>Ring material</b>	<b>Ball material</b>
<a href="#">K10013XP0</a>	100 mm	126 mm	13 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K10013CP0</a>	100 mm	126 mm	13 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">K11013AR0</a>	110 mm	136 mm	13 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K11013XP0</a>	110 mm	136 mm	13 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K11013CP0</a>	110 mm	136 mm	13 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">K12013AR0</a>	120 mm	146 mm	13 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K12013XP0</a>	120 mm	146 mm	13 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K12013CP0</a>	120 mm	146 mm	13 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">K13013AR0</a>	130 mm	156 mm	13 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K13013XP0</a>	130 mm	156 mm	13 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K13013CP0</a>	130 mm	156 mm	13 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">K14013AR0</a>	140 mm	166 mm	13 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K14013XP0</a>	140 mm	166 mm	13 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K14013CP0</a>	140 mm	166 mm	13 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">K15013AR0</a>	150 mm	176 mm	13 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K15013XP0</a>	150 mm	176 mm	13 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K15013CP0</a>	150 mm	176 mm	13 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">K16013AR0</a>	160 mm	186 mm	13 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K16013XP0</a>	160 mm	186 mm	13 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K16013CP0</a>	160 mm	186 mm	13 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">K17013AR0</a>	170 mm	196 mm	13 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K17013XP0</a>	170 mm	196 mm	13 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K17013CP0</a>	170 mm	196 mm	13 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">K18013AR0</a>	180 mm	206 mm	13 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K18013XP0</a>	180 mm	206 mm	13 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K18013CP0</a>	180 mm	206 mm	13 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">K19013AR0</a>	190 mm	216 mm	13 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K19013XP0</a>	190 mm	216 mm	13 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K19013CP0</a>	190 mm	216 mm	13 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">K20013AR0</a>	200 mm	226 mm	13 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K20013XP0</a>	200 mm	226 mm	13 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K20013CP0</a>	200 mm	226 mm	13 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">K25013AR0</a>	250 mm	276 mm	13 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K25013XP0</a>	250 mm	276 mm	13 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K25013CP0</a>	250 mm	276 mm	13 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">K30013AR0</a>	300 mm	326 mm	13 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K30013XP0</a>	300 mm	326 mm	13 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K30013CP0</a>	300 mm	326 mm	13 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">K32013AR0</a>	320 mm	346 mm	13 mm	Angular Contact	Open	Chrome Steel	Chrome Steel



*Metric Constant Section Ball Bearings*

<b>Part Number</b>	<b>Bore diameter</b>	<b>Outside diameter</b>	<b>Width</b>	<b>For load direction</b>	<b>Seal type</b>	<b>Ring material</b>	<b>Ball material</b>
<a href="#">K32013XP0</a>	320 mm	346 mm	13 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K32013CP0</a>	320 mm	346 mm	13 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">K34013AR0</a>	340 mm	366 mm	13 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K34013XP0</a>	340 mm	366 mm	13 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K34013CP0</a>	340 mm	366 mm	13 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">K36013AR0</a>	360 mm	386 mm	13 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K36013XP0</a>	360 mm	386 mm	13 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K36013CP0</a>	360 mm	386 mm	13 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">K02520AR0</a>	25 mm	65 mm	20 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K02520XP0</a>	25 mm	65 mm	20 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K02520CP0</a>	25 mm	65 mm	20 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">K05020AR0</a>	50 mm	90 mm	20 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K05020XP0</a>	50 mm	90 mm	20 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K05020CP0</a>	50 mm	90 mm	20 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">K06020AR0</a>	60 mm	100 mm	20 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K06020XP0</a>	60 mm	100 mm	20 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K06020CP0</a>	60 mm	100 mm	20 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">K07020AR0</a>	70 mm	110 mm	20 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K07020XP0</a>	70 mm	110 mm	20 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K07020CP0</a>	70 mm	110 mm	20 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">K08020AR0</a>	80 mm	120 mm	20 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K08020XP0</a>	80 mm	120 mm	20 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K08020CP0</a>	80 mm	120 mm	20 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">K09020AR0</a>	90 mm	130 mm	20 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K09020XP0</a>	90 mm	130 mm	20 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K09020CP0</a>	90 mm	130 mm	20 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">K10020AR0</a>	100 mm	140 mm	20 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K10020XP0</a>	100 mm	140 mm	20 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K10020CP0</a>	100 mm	140 mm	20 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">K11020AR0</a>	110 mm	150 mm	20 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K11020XP0</a>	110 mm	150 mm	20 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K11020CP0</a>	110 mm	150 mm	20 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">K12020AR0</a>	120 mm	160 mm	20 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K12020XP0</a>	120 mm	160 mm	20 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K12020CP0</a>	120 mm	160 mm	20 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">K13020AR0</a>	130 mm	170 mm	20 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K13020XP0</a>	130 mm	170 mm	20 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K13020CP0</a>	130 mm	170 mm	20 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">K14020AR0</a>	140 mm	180 mm	20 mm	Angular Contact	Open	Chrome Steel	Chrome Steel



*Metric Constant Section Ball Bearings*

<b>Part Number</b>	<b>Bore diameter</b>	<b>Outside diameter</b>	<b>Width</b>	<b>For load direction</b>	<b>Seal type</b>	<b>Ring material</b>	<b>Ball material</b>
<a href="#">K14020XP0</a>	140 mm	180 mm	20 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K14020CP0</a>	140 mm	180 mm	20 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">K15020AR0</a>	150 mm	190 mm	20 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K15020XP0</a>	150 mm	190 mm	20 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K15020CP0</a>	150 mm	190 mm	20 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">K16020AR0</a>	160 mm	200 mm	20 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K16020XP0</a>	160 mm	200 mm	20 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K16020CP0</a>	160 mm	200 mm	20 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">K17020AR0</a>	170 mm	210 mm	20 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K17020XP0</a>	170 mm	210 mm	20 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K17020CP0</a>	170 mm	210 mm	20 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">K18020AR0</a>	180 mm	220 mm	20 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K18020XP0</a>	180 mm	220 mm	20 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K18020CP0</a>	180 mm	220 mm	20 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">K19020AR0</a>	190 mm	230 mm	20 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K19020XP0</a>	190 mm	230 mm	20 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K19020CP0</a>	190 mm	230 mm	20 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">K20020AR0</a>	200 mm	240 mm	20 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K20020XP0</a>	200 mm	240 mm	20 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K20020CP0</a>	200 mm	240 mm	20 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">K25020AR0</a>	250 mm	290 mm	20 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K25020XP0</a>	250 mm	290 mm	20 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K25020CP0</a>	250 mm	290 mm	20 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">K30020AR0</a>	300 mm	340 mm	20 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K30020XP0</a>	300 mm	340 mm	20 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K30020CP0</a>	300 mm	340 mm	20 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">K32020AR0</a>	320 mm	360 mm	20 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K32020XP0</a>	320 mm	360 mm	20 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K32020CP0</a>	320 mm	360 mm	20 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">K34020AR0</a>	340 mm	380 mm	20 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K34020XP0</a>	340 mm	380 mm	20 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K34020CP0</a>	340 mm	380 mm	20 mm	Radial	Open	Chrome Steel	Chrome Steel
<a href="#">K36020AR0</a>	360 mm	400 mm	20 mm	Angular Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K36020XP0</a>	360 mm	400 mm	20 mm	Four Point Contact	Open	Chrome Steel	Chrome Steel
<a href="#">K36020CP0</a>	360 mm	400 mm	20 mm	Radial	Open	Chrome Steel	Chrome Steel