





SFR Series Stainless Steel Flanged Miniature Bearings



Part Number	Bore diameter	Outside diameter	Width	Flange outer diameter	Flange thickness	Seal type	Ring material	Ball material	Limiting speed
SFR0	0.046875"	0.15625"	0.0625"	0.203"	0.013"	Open	Stainless Steel	Stainless Steel	99 X 1000 rpm
SFR0zz	0.046875"	0.15625"	0.0937"	0.203"	0.031"	Shielded	Stainless Steel	Stainless Steel	99 X 1000 rpm
SFR1	0.05556"	0.1875"	0.0781"	0.234"	0.023"	Open	Stainless Steel	Stainless Steel	81 X 1000 rpm
SFR1zz	0.05556"	0.1875"	0.1094"	0.234"	0.031"	Shielded	Stainless Steel	Stainless Steel	81 X 1000 rpm
SFR1-4	0.07813"	0.25"	0.0937"	0.296"	0.023"	Open	Stainless Steel	Stainless Steel	60.3 X 1000 rpm
SFR1-4 2rs	0.07813"	0.25"	0.1406"	0.296"	0.031"	Sealed	Stainless Steel	Stainless Steel	60.3 X 1000 rpm
SFR1-4zz	0.07813"	0.25"	0.1406"	0.296"	0.031"	Shielded	Stainless Steel	Stainless Steel	60.3 X 1000 rpm
SFR133	0.09375"	0.1875"	0.0625"	0.234"	0.018"	Open	Stainless Steel	Stainless Steel	72 X 1000 rpm
SFR133 2rs	0.09375"	0.1875"	0.0937"	0.234"	0.031"	Sealed	Stainless Steel	Stainless Steel	72 X 1000 rpm
SFR133zz	0.09375"	0.1875"	0.0937"	0.234"	0.031"	Shielded	Stainless Steel	Stainless Steel	72 X 1000 rpm
SFR1-5	0.09375"	0.3125"	0.1094"	0.359"	0.023"	Open	Stainless Steel	Stainless Steel	54 X 1000 rpm
SFR1-5 2rs	0.09375"	0.3125"	0.1406"	0.359"	0.031"	Sealed	Stainless Steel	Stainless Steel	54 X 1000 rpm
SFR1-5zz	0.09375"	0.3125"	0.1406"	0.359"	0.031"	Shielded	Stainless Steel	Stainless Steel	54 X 1000 rpm
SFR144	0.125"	0.25"	0.0937"	0.296"	0.023"	Open	Stainless Steel	Stainless Steel	60.3 X 1000 rpm
SFR144 2rs	0.125"	0.25"	0.1094"	0.296"	0.031"	Sealed	Stainless Steel	Stainless Steel	60.3 X 1000 rpm
SFR144zz	0.125"	0.25"	0.1094"	0.296"	0.031"	Shielded	Stainless Steel	Stainless Steel	60.3 X 1000 rpm
SFR2-5	0.125"	0.3125"	0.1094"	0.359"	0.023"	Open	Stainless Steel	Stainless Steel	54 X 1000 rpm
SFR2-5 2rs	0.125"	0.3125"	0.1406"	0.359"	0.031"	Sealed	Stainless Steel	Stainless Steel	54 X 1000 rpm
SFR2-5zz	0.125"	0.3125"	0.1406"	0.359"	0.031"	Shielded	Stainless Steel	Stainless Steel	54 X 1000 rpm
SFR2-6	0.125"	0.375"	0.1094"	0.422"	0.023"	Open	Stainless Steel	Stainless Steel	47.7 X 1000 rpm
SFR2-6 2rs	0.125"	0.375"	0.1406"	0.422"	0.031"	Sealed	Stainless Steel	Stainless Steel	47.7 X 1000 rpm
SFR2-6zz	0.125"	0.375"	0.1406"	0.422"	0.031"	Shielded	Stainless Steel	Stainless Steel	47.7 X 1000 rpm
SFR2	0.125"	0.375"	0.1562"	0.44"	0.03"	Open	Stainless Steel	Stainless Steel	50.4 X 1000 rpm
SFR2 2rs	0.125"	0.375"	0.1562"	0.44"	0.03"	Sealed	Stainless Steel	Stainless Steel	50.4 X 1000 rpm
SFR2zz	0.125"	0.375"	0.1562"	0.44"	0.03"	Shielded	Stainless Steel	Stainless Steel	50.4 X 1000 rpm
SFR155	0.15625"	0.3125"	0.1094"	0.359"	0.023"	Open	Stainless Steel	Stainless Steel	47.7 X 1000 rpm



SFR Series Stainless Steel Flanged Miniature Bearings



Part Number	Bore diameter	Outside diameter	Width	Flange outer diameter	Flange thickness	Seal type	Ring material	Ball material	Limiting speed
SFR155 2rs	0.15625"	0.3125"	0.125"	0.359"	0.036"	Sealed	Stainless Steel	Stainless Steel	47.7 X 1000 rpm
SFR155zz	0.15625"	0.3125"	0.125"	0.359"	0.036"	Shielded	Stainless Steel	Stainless Steel	47.7 X 1000 rpm
SFR156	0.1875"	0.3125"	0.1094"	0.359"	0.023"	Open	Stainless Steel	Stainless Steel	47.7 X 1000 rpm
SFR156 2rs	0.1875"	0.3125"	0.125"	0.359"	0.036"	Sealed	Stainless Steel	Stainless Steel	47.7 X 1000 rpm
SFR156zz	0.1875"	0.3125"	0.125"	0.359"	0.036"	Shielded	Stainless Steel	Stainless Steel	47.7 X 1000 rpm
SFR166	0.1875"	0.375"	0.125"	0.422"	0.023"	Open	Stainless Steel	Stainless Steel	45 X 1000 rpm
SFR166 2rs	0.1875"	0.375"	0.125"	0.422"	0.031"	Sealed	Stainless Steel	Stainless Steel	45 X 1000 rpm
SFR166zz	0.1875"	0.375"	0.125"	0.422"	0.031"	Shielded	Stainless Steel	Stainless Steel	45 X 1000 rpm
SFR3	0.1875"	0.5"	0.156"	0.565"	0.042"	Open	Stainless Steel	Stainless Steel	38.7 X 1000 rpm
SFR3 2rs	0.1875"	0.5"	0.196"	0.565"	0.042"	Sealed	Stainless Steel	Stainless Steel	38.7 X 1000 rpm
SFR3zz	0.1875"	0.5"	0.196"	0.565"	0.042"	Shielded	Stainless Steel	Stainless Steel	38.7 X 1000 rpm
SFR168	0.25"	0.375"	0.125"	0.422"	0.023"	Open	Stainless Steel	Stainless Steel	43.2 X 1000 rpm
SFR168 2rs	0.25"	0.375"	0.125"	0.422"	0.036"	Sealed	Stainless Steel	Stainless Steel	43.2 X 1000 rpm
SFR168zz	0.25"	0.375"	0.125"	0.422"	0.036"	Shielded	Stainless Steel	Stainless Steel	43.2 X 1000 rpm
SFR188	0.25"	0.5"	0.125"	0.547"	0.023"	Open	Stainless Steel	Stainless Steel	36 X 1000 rpm
SFR188 2rs	0.25"	0.5"	0.1875"	0.547"	0.045"	Sealed	Stainless Steel	Stainless Steel	36 X 1000 rpm
SFR188zz	0.25"	0.5"	0.1875"	0.547"	0.045"	Shielded	Stainless Steel	Stainless Steel	36 X 1000 rpm
SFR4	0.25"	0.625"	0.196"	0.69"	0.042"	Open	Stainless Steel	Stainless Steel	34.2 X 1000 rpm
SFR4 2rs	0.25"	0.625"	0.196"	0.69"	0.042"	Sealed	Stainless Steel	Stainless Steel	34.2 X 1000 rpm
SFR4zz	0.25"	0.625"	0.196"	0.69"	0.042"	Shielded	Stainless Steel	Stainless Steel	34.2 X 1000 rpm
SFR1810	0.3125"	0.5"	0.1562"	0.547"	0.031"	Open	Stainless Steel	Stainless Steel	36 X 1000 rpm
SFR1810 2rs	0.3125"	0.5"	0.1562"	0.547"	0.031"	Sealed	Stainless Steel	Stainless Steel	36 X 1000 rpm
SFR1810zz	0.3125"	0.5"	0.1562"	0.547"	0.031"	Shielded	Stainless Steel	Stainless Steel	36 X 1000 rpm
SFR6	0.375"	0.875"	0.2188"	0.965"	0.062"	Open	Stainless Steel	Stainless Steel	28.8 X 1000 rpm
SFR6 2rs	0.375"	0.875"	0.2812"	0.965"	0.062"	Sealed	Stainless Steel	Stainless Steel	28.8 X 1000 rpm
SFR6zz	0.375"	0.875"	0.2812"	0.965"	0.062"	Shielded	Stainless Steel	Stainless Steel	28.8 X 1000 rpm



SFR Series Stainless Steel Flanged Miniature Bearings

