



Thin Section Ball Bearings

Part Number	Bore diameter	Outside diameter	Width	Seal type	Ring material	Ball material	Limiting speed
ER1038	0.375"	0.625"	0.1562"	Open	Chrome Steel	Chrome Steel	15 X 1000 rpm
ER1038 2RS	0.375"	0.625"	0.1562"	Sealed	Chrome Steel	Chrome Steel	15 X 1000 rpm
ER1038 ZZ	0.375"	0.625"	0.1562"	Shielded	Chrome Steel	Chrome Steel	15 X 1000 rpm
ER1212	0.5"	0.75"	0.1562"	Open	Chrome Steel	Chrome Steel	12 X 1000 rpm
ER1212 2RS	0.5"	0.75"	0.1562"	Sealed	Chrome Steel	Chrome Steel	12 X 1000 rpm
ER1212 ZZ	0.5"	0.75"	0.1562"	Shielded	Chrome Steel	Chrome Steel	12 X 1000 rpm
ER1458	0.625"	0.875"	0.1562"	Open	Chrome Steel	Chrome Steel	10 X 1000 rpm
ER1458 2RS	0.625"	0.875"	0.1562"	Sealed	Chrome Steel	Chrome Steel	10 X 1000 rpm
ER1458 ZZ	0.625"	0.875"	0.1562"	Shielded	Chrome Steel	Chrome Steel	10 X 1000 rpm
ER1634	0.75"	1"	0.1562"	Open	Chrome Steel	Chrome Steel	8 X 1000 rpm
ER1634 2RS	0.75"	1"	0.1562"	Sealed	Chrome Steel	Chrome Steel	8 X 1000 rpm
ER1634 ZZ	0.75"	1"	0.1562"	Shielded	Chrome Steel	Chrome Steel	8 X 1000 rpm
SER1038	0.375"	0.625"	0.1562"	Open	Stainless Steel	Stainless Steel	15 X 1000 rpm
SER1038 2RS	0.375"	0.625"	0.1562"	Sealed	Stainless Steel	Stainless Steel	15 X 1000 rpm
SER1038 ZZ	0.375"	0.625"	0.1562"	Shielded	Stainless Steel	Stainless Steel	15 X 1000 rpm
SER1212	0.5"	0.75"	0.1562"	Open	Stainless Steel	Stainless Steel	12 X 1000 rpm
SER1212 2RS	0.5"	0.75"	0.1562"	Sealed	Stainless Steel	Stainless Steel	12 X 1000 rpm
SER1212 ZZ	0.5"	0.75"	0.1562"	Shielded	Stainless Steel	Stainless Steel	12 X 1000 rpm
SER1458	0.625"	0.875"	0.1562"	Open	Stainless Steel	Stainless Steel	10 X 1000 rpm
SER1458 2RS	0.625"	0.875"	0.1562"	Sealed	Stainless Steel	Stainless Steel	10 X 1000 rpm
SER1458 ZZ	0.625"	0.875"	0.1562"	Shielded	Stainless Steel	Stainless Steel	10 X 1000 rpm
SER1634	0.75"	1"	0.1562"	Open	Stainless Steel	Stainless Steel	8.5 X 1000 rpm
SER1634 2RS	0.75"	1"	0.1562"	Sealed	Stainless Steel	Stainless Steel	8.5 X 1000 rpm
SER1634 ZZ	0.75"	1"	0.1562"	Shielded	Stainless Steel	Stainless Steel	8.5 X 1000 rpm
ET2015	15 mm	20 mm	3.5 mm	Open	Chrome Steel	Chrome Steel	13 X 1000 rpm
ET2115	15 mm	21 mm	3.5 mm	Open	Chrome Steel	Chrome Steel	13 X 1000 rpm
ET2216	16 mm	22 mm	4 mm	Open	Chrome Steel	Chrome Steel	12 X 1000 rpm
ET2216 2RS	16 mm	22 mm	4 mm	Sealed	Chrome Steel	Chrome Steel	12 X 1000 rpm
ET2216 ZZ	16 mm	22 mm	4 mm	Shielded	Chrome Steel	Chrome Steel	12 X 1000 rpm
ET2316	16 mm	23 mm	4.5 mm	Open	Chrome Steel	Chrome Steel	12 X 1000 rpm
ET2316 2RS	16 mm	23 mm	4.5 mm	Sealed	Chrome Steel	Chrome Steel	12 X 1000 rpm
ET2316 ZZ	16 mm	23 mm	4.5 mm	Shielded	Chrome Steel	Chrome Steel	12 X 1000 rpm
ET2418	18 mm	24 mm	4 mm	Open	Chrome Steel	Chrome Steel	21 X 1000 rpm
ET2520	20 mm	25 mm	4 mm	Open	Chrome Steel	Chrome Steel	10 X 1000 rpm
ET2520 2RS	20 mm	25 mm	4 mm	Sealed	Chrome Steel	Chrome Steel	10 X 1000 rpm
ET2520 ZZ	20 mm	25 mm	4 mm	Shielded	Chrome Steel	Chrome Steel	10 X 1000 rpm
SET2015	15 mm	20 mm	3.5 mm	Open	Stainless Steel	Stainless Steel	9.9 X 1000 rpm
SET2115	15 mm	21 mm	3.5 mm	Open	Stainless Steel	Stainless Steel	9.9 X 1000 rpm
SET2216	16 mm	22 mm	4 mm	Open	Stainless Steel	Stainless Steel	9 X 1000 rpm



Thin Section Ball Bearings

Part Number	Bore diameter	Outside diameter	Width	Seal type	Ring material	Ball material	Limiting speed
SET2216 2RS	16 mm	22 mm	4 mm	Sealed	Stainless Steel	Stainless Steel	9 X 1000 rpm
SET2216 ZZ	16 mm	22 mm	4 mm	Shielded	Stainless Steel	Stainless Steel	9 X 1000 rpm
SET2316	16 mm	23 mm	4.5 mm	Open	Stainless Steel	Stainless Steel	9 X 1000 rpm
SET2316 2RS	16 mm	23 mm	4.5 mm	Sealed	Stainless Steel	Stainless Steel	9 X 1000 rpm
SET2316 ZZ	16 mm	23 mm	4.5 mm	Shielded	Stainless Steel	Stainless Steel	9 X 1000 rpm
SET2418	18 mm	24 mm	4 mm	Open	Stainless Steel	Stainless Steel	16.2 X 1000 rpm
SET2520	20 mm	25 mm	4 mm	Open	Stainless Steel	Stainless Steel	9 X 1000 rpm
SET2520 2RS	20 mm	25 mm	4 mm	Sealed	Stainless Steel	Stainless Steel	7.6 X 1000 rpm
SET2520 ZZ	20 mm	25 mm	4 mm	Shielded	Stainless Steel	Stainless Steel	7.6 X 1000 rpm
6700	10 mm	15 mm	3 mm	Open	Chrome Steel	Chrome Steel	17 X 1000 rpm
6700 2rs	10 mm	15 mm	4 mm	Sealed	Chrome Steel	Chrome Steel	17 X 1000 rpm
6700zz	10 mm	15 mm	4 mm	Shielded	Chrome Steel	Chrome Steel	17 X 1000 rpm
6701	12 mm	18 mm	4 mm	Open	Chrome Steel	Chrome Steel	15 X 1000 rpm
6701 2rs	12 mm	18 mm	4 mm	Sealed	Chrome Steel	Chrome Steel	15 X 1000 rpm
6701zz	12 mm	18 mm	4 mm	Shielded	Chrome Steel	Chrome Steel	15 X 1000 rpm
6702	15 mm	21 mm	4 mm	Open	Chrome Steel	Chrome Steel	13 X 1000 rpm
6702 2rs	15 mm	21 mm	4 mm	Sealed	Chrome Steel	Chrome Steel	13 X 1000 rpm
6702zz	15 mm	21 mm	4 mm	Shielded	Chrome Steel	Chrome Steel	13 X 1000 rpm
6703	17 mm	23 mm	4 mm	Open	Chrome Steel	Chrome Steel	11 X 1000 rpm
6703 2rs	17 mm	23 mm	4 mm	Sealed	Chrome Steel	Chrome Steel	11 X 1000 rpm
6703zz	17 mm	23 mm	4 mm	Shielded	Chrome Steel	Chrome Steel	11 X 1000 rpm
6704	20 mm	27 mm	4 mm	Open	Chrome Steel	Chrome Steel	10 X 1000 rpm
6704 2rs	20 mm	27 mm	4 mm	Sealed	Chrome Steel	Chrome Steel	10 X 1000 rpm
6704zz	20 mm	27 mm	4 mm	Shielded	Chrome Steel	Chrome Steel	10 X 1000 rpm
6705	25 mm	32 mm	4 mm	Open	Chrome Steel	Chrome Steel	8 X 1000 rpm
6705 2rs	25 mm	32 mm	4 mm	Sealed	Chrome Steel	Chrome Steel	8 X 1000 rpm
6705zz	25 mm	32 mm	4 mm	Shielded	Chrome Steel	Chrome Steel	7 X 1000 rpm
6706	30 mm	37 mm	4 mm	Open	Chrome Steel	Chrome Steel	7 X 1000 rpm
6706 2rs	30 mm	37 mm	4 mm	Sealed	Chrome Steel	Chrome Steel	7 X 1000 rpm
6706zz	30 mm	37 mm	4 mm	Shielded	Chrome Steel	Chrome Steel	7 X 1000 rpm
6707	35 mm	44 mm	5 mm	Open	Chrome Steel	Chrome Steel	6 X 1000 rpm
6707 2rs	35 mm	44 mm	5 mm	Sealed	Chrome Steel	Chrome Steel	6 X 1000 rpm
6707zz	35 mm	44 mm	5 mm	Shielded	Chrome Steel	Chrome Steel	6 X 1000 rpm
6708	40 mm	50 mm	6 mm	Open	Chrome Steel	Chrome Steel	5 X 1000 rpm
6708 2rs	40 mm	50 mm	6 mm	Sealed	Chrome Steel	Chrome Steel	5 X 1000 rpm
6708zz	40 mm	50 mm	6 mm	Shielded	Chrome Steel	Chrome Steel	5 X 1000 rpm
6709	45 mm	55 mm	6 mm	Open	Chrome Steel	Chrome Steel	4.6 X 1000 rpm
6709 2rs	45 mm	55 mm	6 mm	Sealed	Chrome Steel	Chrome Steel	4.6 X 1000 rpm
6709zz	45 mm	55 mm	6 mm	Shielded	Chrome Steel	Chrome Steel	4.6 X 1000 rpm



Thin Section Ball Bearings

Part Number	Bore diameter	Outside diameter	Width	Seal type	Ring material	Ball material	Limiting speed
6710	50 mm	62 mm	6 mm	Open	Chrome Steel	Chrome Steel	4.1 X 1000 rpm
6710 2rs	50 mm	62 mm	6 mm	Sealed	Chrome Steel	Chrome Steel	4.1 X 1000 rpm
6710zz	50 mm	62 mm	6 mm	Shielded	Chrome Steel	Chrome Steel	4.1 X 1000 rpm
S6700	10 mm	15 mm	3 mm	Open	Stainless Steel	Stainless Steel	13.5 X 1000 rpm
S6700 2rs	10 mm	15 mm	4 mm	Sealed	Stainless Steel	Stainless Steel	13.5 X 1000 rpm
S6700zz	10 mm	15 mm	4 mm	Shielded	Stainless Steel	Stainless Steel	13.5 X 1000 rpm
S6701	12 mm	18 mm	4 mm	Open	Stainless Steel	Stainless Steel	11.7 X 1000 rpm
S6701 2rs	12 mm	18 mm	4 mm	Sealed	Stainless Steel	Stainless Steel	11.7 X 1000 rpm
S6701zz	12 mm	18 mm	4 mm	Shielded	Stainless Steel	Stainless Steel	11.7 X 1000 rpm
S6702	15 mm	21 mm	4 mm	Open	Stainless Steel	Stainless Steel	9.9 X 1000 rpm
S6702 2rs	15 mm	21 mm	4 mm	Sealed	Stainless Steel	Stainless Steel	9.9 X 1000 rpm
S6702zz	15 mm	21 mm	4 mm	Shielded	Stainless Steel	Stainless Steel	9.9 X 1000 rpm
S6703	17 mm	23 mm	4 mm	Open	Stainless Steel	Stainless Steel	8.6 X 1000 rpm
S6703 2rs	17 mm	23 mm	4 mm	Sealed	Stainless Steel	Stainless Steel	8.6 X 1000 rpm
S6703zz	17 mm	23 mm	4 mm	Shielded	Stainless Steel	Stainless Steel	8.6 X 1000 rpm
S6704	20 mm	27 mm	4 mm	Open	Stainless Steel	Stainless Steel	7.6 X 1000 rpm
S6704 2rs	20 mm	27 mm	4 mm	Sealed	Stainless Steel	Stainless Steel	7.6 X 1000 rpm
S6704zz	20 mm	27 mm	4 mm	Shielded	Stainless Steel	Stainless Steel	7.6 X 1000 rpm
S6705	25 mm	32 mm	4 mm	Open	Stainless Steel	Stainless Steel	6.3 X 1000 rpm
S6705 2rs	25 mm	32 mm	4 mm	Sealed	Stainless Steel	Stainless Steel	6.3 X 1000 rpm
S6705zz	25 mm	32 mm	4 mm	Shielded	Stainless Steel	Stainless Steel	6.3 X 1000 rpm
S6706	30 mm	37 mm	4 mm	Open	Stainless Steel	Stainless Steel	5 X 1000 rpm
S6706 2rs	30 mm	37 mm	4 mm	Sealed	Stainless Steel	Stainless Steel	5 X 1000 rpm
S6706zz	30 mm	37 mm	4 mm	Shielded	Stainless Steel	Stainless Steel	5 X 1000 rpm
S6707	35 mm	44 mm	5 mm	Open	Stainless Steel	Stainless Steel	4.4 X 1000 rpm
S6707 2rs	35 mm	44 mm	5 mm	Sealed	Stainless Steel	Stainless Steel	4.4 X 1000 rpm
S6707zz	35 mm	44 mm	5 mm	Shielded	Stainless Steel	Stainless Steel	4.4 X 1000 rpm
S6708	40 mm	50 mm	6 mm	Open	Stainless Steel	Stainless Steel	3.9 X 1000 rpm
S6708 2rs	40 mm	50 mm	6 mm	Sealed	Stainless Steel	Stainless Steel	3.9 X 1000 rpm
S6708zz	40 mm	50 mm	6 mm	Shielded	Stainless Steel	Stainless Steel	3.9 X 1000 rpm
S6709	45 mm	55 mm	6 mm	Open	Stainless Steel	Stainless Steel	3.5 X 1000 rpm
S6709 2rs	45 mm	55 mm	6 mm	Sealed	Stainless Steel	Stainless Steel	3.5 X 1000 rpm
S6709zz	45 mm	55 mm	6 mm	Shielded	Stainless Steel	Stainless Steel	3.5 X 1000 rpm
S6710	50 mm	62 mm	6 mm	Open	Stainless Steel	Stainless Steel	3.69 X 1000 rpm
S6710 2rs	50 mm	62 mm	6 mm	Sealed	Stainless Steel	Stainless Steel	3.69 X 1000 rpm
S6710zz	50 mm	62 mm	6 mm	Shielded	Stainless Steel	Stainless Steel	3.2 X 1000 rpm
63800	10 mm	19 mm	7 mm	Open	Chrome Steel	Chrome Steel	40 X 1000 rpm
63800 2rs	10 mm	19 mm	7 mm	Sealed	Chrome Steel	Chrome Steel	40 X 1000 rpm
63800zz	10 mm	19 mm	7 mm	Shielded	Chrome Steel	Chrome Steel	40 X 1000 rpm



Thin Section Ball Bearings

Part Number	Bore diameter	Outside diameter	Width	Seal type	Ring material	Ball material	Limiting speed
63801	12 mm	21 mm	7 mm	Open	Chrome Steel	Chrome Steel	36 X 1000 rpm
63801 2rs	12 mm	21 mm	7 mm	Sealed	Chrome Steel	Chrome Steel	36 X 1000 rpm
63801zz	12 mm	21 mm	7 mm	Shielded	Chrome Steel	Chrome Steel	36 X 1000 rpm
63802	15 mm	24 mm	7 mm	Open	Chrome Steel	Chrome Steel	31 X 1000 rpm
63802 2rs	15 mm	24 mm	7 mm	Sealed	Chrome Steel	Chrome Steel	31 X 1000 rpm
63802zz	15 mm	24 mm	7 mm	Shielded	Chrome Steel	Chrome Steel	31 X 1000 rpm
63803	17 mm	26 mm	7 mm	Open	Chrome Steel	Chrome Steel	29 X 1000 rpm
63803 2rs	17 mm	26 mm	7 mm	Sealed	Chrome Steel	Chrome Steel	29 X 1000 rpm
63803zz	17 mm	26 mm	7 mm	Shielded	Chrome Steel	Chrome Steel	29 X 1000 rpm
63804	20 mm	32 mm	10 mm	Open	Chrome Steel	Chrome Steel	25 X 1000 rpm
63804 2rs	20 mm	32 mm	10 mm	Sealed	Chrome Steel	Chrome Steel	25 X 1000 rpm
63804zz	20 mm	32 mm	10 mm	Shielded	Chrome Steel	Chrome Steel	25 X 1000 rpm
63805	25 mm	37 mm	10 mm	Open	Chrome Steel	Chrome Steel	21 X 1000 rpm
63805 2rs	25 mm	37 mm	10 mm	Sealed	Chrome Steel	Chrome Steel	21 X 1000 rpm
63805zz	25 mm	37 mm	10 mm	Shielded	Chrome Steel	Chrome Steel	21 X 1000 rpm
63806	30 mm	42 mm	10 mm	Open	Chrome Steel	Chrome Steel	18 X 1000 rpm
63806 2rs	30 mm	42 mm	10 mm	Sealed	Chrome Steel	Chrome Steel	18 X 1000 rpm
63806zz	30 mm	42 mm	10 mm	Shielded	Chrome Steel	Chrome Steel	18 X 1000 rpm
S63800	10 mm	19 mm	7 mm	Open	Stainless Steel	Stainless Steel	36 X 1000 rpm
S63800 2rs	10 mm	19 mm	7 mm	Sealed	Stainless Steel	Stainless Steel	36 X 1000 rpm
S63800zz	10 mm	19 mm	7 mm	Shielded	Stainless Steel	Stainless Steel	36 X 1000 rpm
S63801	12 mm	21 mm	7 mm	Open	Stainless Steel	Stainless Steel	32.4 X 1000 rpm
S63801 2rs	12 mm	21 mm	7 mm	Sealed	Stainless Steel	Stainless Steel	32.4 X 1000 rpm
S63801zz	12 mm	21 mm	7 mm	Shielded	Stainless Steel	Stainless Steel	32.4 X 1000 rpm
S63802	15 mm	24 mm	7 mm	Open	Stainless Steel	Stainless Steel	27.92 X 1000 rpm
S63802 2rs	15 mm	24 mm	7 mm	Sealed	Stainless Steel	Stainless Steel	27.92 X 1000 rpm
S63802zz	15 mm	24 mm	7 mm	Shielded	Stainless Steel	Stainless Steel	27.92 X 1000 rpm
S63803	17 mm	26 mm	7 mm	Open	Stainless Steel	Stainless Steel	26.1 X 1000 rpm
S63803 2rs	17 mm	26 mm	7 mm	Sealed	Stainless Steel	Stainless Steel	26.1 X 1000 rpm
S63803zz	17 mm	26 mm	7 mm	Shielded	Stainless Steel	Stainless Steel	26.1 X 1000 rpm
S63804	20 mm	32 mm	10 mm	Open	Stainless Steel	Stainless Steel	22.5 X 1000 rpm
S63804 2rs	20 mm	32 mm	10 mm	Sealed	Stainless Steel	Stainless Steel	22.5 X 1000 rpm
S63804zz	20 mm	32 mm	10 mm	Shielded	Stainless Steel	Stainless Steel	22.5 X 1000 rpm
S63805	25 mm	37 mm	10 mm	Open	Stainless Steel	Stainless Steel	18.92 X 1000 rpm
S63805 2rs	25 mm	37 mm	10 mm	Sealed	Stainless Steel	Stainless Steel	18.92 X 1000 rpm



Thin Section Ball Bearings

Part Number	Bore diameter	Outside diameter	Width	Seal type	Ring material	Ball material	Limiting speed
S63805zz	25 mm	37 mm	10 mm	Shielded	Stainless Steel	Stainless Steel	rpm 18.92 X 1000
S63806	30 mm	42 mm	10 mm	Open	Stainless Steel	Stainless Steel	16.2 X 1000 rpm
S63806 2rs	30 mm	42 mm	10 mm	Sealed	Stainless Steel	Stainless Steel	16.2 X 1000 rpm
S63806zz	30 mm	42 mm	10 mm	Shielded	Stainless Steel	Stainless Steel	16.2 X 1000 rpm
6800	10 mm	19 mm	5 mm	Open	Chrome Steel	Chrome Steel	40 X 1000 rpm
6800 2rs	10 mm	19 mm	5 mm	Sealed	Chrome Steel	Chrome Steel	40 X 1000 rpm
6800zz	10 mm	19 mm	5 mm	Shielded	Chrome Steel	Chrome Steel	40 X 1000 rpm
6801	12 mm	21 mm	5 mm	Open	Chrome Steel	Chrome Steel	36 X 1000 rpm
6801 2rs	12 mm	21 mm	5 mm	Sealed	Chrome Steel	Chrome Steel	36 X 1000 rpm
6801-ZZ	12 mm	21 mm	5 mm	Shielded	Chrome Steel	Chrome Steel	36 X 1000 rpm
6801zz	12 mm	21 mm	5 mm	Shielded	Chrome Steel	Chrome Steel	36 X 1000 rpm
6802	15 mm	24 mm	5 mm	Open	Chrome Steel	Chrome Steel	31 X 1000 rpm
6802 2rs	15 mm	24 mm	5 mm	Sealed	Chrome Steel	Chrome Steel	31 X 1000 rpm
6802zz	15 mm	24 mm	5 mm	Shielded	Chrome Steel	Chrome Steel	31 X 1000 rpm
6803	17 mm	26 mm	5 mm	Open	Chrome Steel	Chrome Steel	29 X 1000 rpm
6803 2rs	17 mm	26 mm	5 mm	Sealed	Chrome Steel	Chrome Steel	29 X 1000 rpm
6803zz	17 mm	26 mm	5 mm	Shielded	Chrome Steel	Chrome Steel	29 X 1000 rpm
6804	20 mm	32 mm	7 mm	Open	Chrome Steel	Chrome Steel	25 X 1000 rpm
6804 2rs	20 mm	32 mm	7 mm	Sealed	Chrome Steel	Chrome Steel	25 X 1000 rpm
6804zz	20 mm	32 mm	7 mm	Shielded	Chrome Steel	Chrome Steel	25 X 1000 rpm
6805	25 mm	37 mm	7 mm	Open	Chrome Steel	Chrome Steel	21 X 1000 rpm
6805 2rs	25 mm	37 mm	7 mm	Sealed	Chrome Steel	Chrome Steel	21 X 1000 rpm
6805zz	25 mm	37 mm	7 mm	Shielded	Chrome Steel	Chrome Steel	21 X 1000 rpm
6806	30 mm	42 mm	7 mm	Open	Chrome Steel	Chrome Steel	18 X 1000 rpm
6806 2rs	30 mm	42 mm	7 mm	Sealed	Chrome Steel	Chrome Steel	18 X 1000 rpm
6806zz	30 mm	42 mm	7 mm	Shielded	Chrome Steel	Chrome Steel	18 X 1000 rpm
6807	35 mm	47 mm	7 mm	Open	Chrome Steel	Chrome Steel	16 X 1000 rpm
6807 2rs	35 mm	47 mm	7 mm	Sealed	Chrome Steel	Chrome Steel	16 X 1000 rpm
6807zz	35 mm	47 mm	7 mm	Shielded	Chrome Steel	Chrome Steel	16 X 1000 rpm
6808	40 mm	52 mm	7 mm	Open	Chrome Steel	Chrome Steel	14 X 1000 rpm
6808 2rs	40 mm	52 mm	7 mm	Sealed	Chrome Steel	Chrome Steel	14 X 1000 rpm
6808zz	40 mm	52 mm	7 mm	Shielded	Chrome Steel	Chrome Steel	14 X 1000 rpm
6809	45 mm	58 mm	7 mm	Open	Chrome Steel	Chrome Steel	13 X 1000 rpm
6809 2rs	45 mm	58 mm	7 mm	Sealed	Chrome Steel	Chrome Steel	13 X 1000 rpm
6809zz	45 mm	58 mm	7 mm	Shielded	Chrome Steel	Chrome Steel	13 X 1000 rpm
6810	50 mm	65 mm	7 mm	Open	Chrome Steel	Chrome Steel	11 X 1000 rpm
6810 2rs	50 mm	65 mm	7 mm	Sealed	Chrome Steel	Chrome Steel	11 X 1000 rpm



Thin Section Ball Bearings

Part Number	Bore diameter	Outside diameter	Width	Seal type	Ring material	Ball material	Limiting speed
6810zz	50 mm	65 mm	7 mm	Shielded	Chrome Steel	Chrome Steel	11 X 1000 rpm
6811	55 mm	72 mm	9 mm	Open	Chrome Steel	Chrome Steel	10 X 1000 rpm
6811 2rs	55 mm	72 mm	9 mm	Sealed	Chrome Steel	Chrome Steel	10 X 1000 rpm
6811zz	55 mm	72 mm	9 mm	Shielded	Chrome Steel	Chrome Steel	10 X 1000 rpm
6812	60 mm	78 mm	10 mm	Open	Chrome Steel	Chrome Steel	9.4 X 1000 rpm
6812 2rs	60 mm	78 mm	10 mm	Sealed	Chrome Steel	Chrome Steel	9.4 X 1000 rpm
6812zz	60 mm	78 mm	10 mm	Shielded	Chrome Steel	Chrome Steel	9.4 X 1000 rpm
6813	65 mm	85 mm	10 mm	Open	Chrome Steel	Chrome Steel	8.6 X 1000 rpm
6813 2rs	65 mm	85 mm	10 mm	Sealed	Chrome Steel	Chrome Steel	8.6 X 1000 rpm
6813zz	65 mm	85 mm	10 mm	Shielded	Chrome Steel	Chrome Steel	8.6 X 1000 rpm
6814	70 mm	90 mm	10 mm	Open	Chrome Steel	Chrome Steel	8.1 X 1000 rpm
6814 2rs	70 mm	90 mm	10 mm	Sealed	Chrome Steel	Chrome Steel	8.1 X 1000 rpm
6814zz	70 mm	90 mm	10 mm	Shielded	Chrome Steel	Chrome Steel	8.1 X 1000 rpm
6815	75 mm	95 mm	10 mm	Open	Chrome Steel	Chrome Steel	7.6 X 1000 rpm
6815 2rs	75 mm	95 mm	10 mm	Sealed	Chrome Steel	Chrome Steel	7.6 X 1000 rpm
6815zz	75 mm	95 mm	10 mm	Shielded	Chrome Steel	Chrome Steel	7.6 X 1000 rpm
6816	80 mm	100 mm	10 mm	Open	Chrome Steel	Chrome Steel	7.1 X 1000 rpm
6816 2rs	80 mm	100 mm	10 mm	Sealed	Chrome Steel	Chrome Steel	7.1 X 1000 rpm
6816zz	80 mm	100 mm	10 mm	Shielded	Chrome Steel	Chrome Steel	7.1 X 1000 rpm
6817	85 mm	110 mm	13 mm	Open	Chrome Steel	Chrome Steel	6.6 X 1000 rpm
6817 2rs	85 mm	110 mm	13 mm	Sealed	Chrome Steel	Chrome Steel	6.6 X 1000 rpm
6817zz	85 mm	110 mm	13 mm	Shielded	Chrome Steel	Chrome Steel	6.6 X 1000 rpm
6818	90 mm	115 mm	13 mm	Open	Chrome Steel	Chrome Steel	6.2 X 1000 rpm
6818 2rs	90 mm	115 mm	13 mm	Sealed	Chrome Steel	Chrome Steel	6.2 X 1000 rpm
6818zz	90 mm	115 mm	13 mm	Shielded	Chrome Steel	Chrome Steel	6.2 X 1000 rpm
6819	95 mm	120 mm	13 mm	Open	Chrome Steel	Chrome Steel	5.9 X 1000 rpm
6819 2rs	95 mm	120 mm	13 mm	Sealed	Chrome Steel	Chrome Steel	5.9 X 1000 rpm
6819zz	95 mm	120 mm	13 mm	Shielded	Chrome Steel	Chrome Steel	5.9 X 1000 rpm
S6800	10 mm	19 mm	5 mm	Open	Stainless Steel	Stainless Steel	30.6 X 1000 rpm
S6800 2rs	10 mm	19 mm	5 mm	Sealed	Stainless Steel	Stainless Steel	30.6 X 1000 rpm
S6800zz	10 mm	19 mm	5 mm	Shielded	Stainless Steel	Stainless Steel	30.6 X 1000 rpm
S6801	12 mm	21 mm	5 mm	Open	Stainless Steel	Stainless Steel	27 X 1000 rpm
S6801 2rs	12 mm	21 mm	5 mm	Sealed	Stainless Steel	Stainless Steel	27 X 1000 rpm
S6801zz	12 mm	21 mm	5 mm	Shielded	Stainless Steel	Stainless Steel	27 X 1000 rpm
S6802	15 mm	24 mm	5 mm	Open	Stainless Steel	Stainless Steel	23.4 X 1000 rpm
S6802 2rs	15 mm	24 mm	5 mm	Sealed	Stainless Steel	Stainless Steel	23.4 X 1000 rpm
S6802zz	15 mm	24 mm	5 mm	Shielded	Stainless Steel	Stainless Steel	23.4 X 1000 rpm
S6803	17 mm	26 mm	5 mm	Open	Stainless Steel	Stainless Steel	21.6 X 1000 rpm
S6803 2rs	17 mm	26 mm	5 mm	Sealed	Stainless Steel	Stainless Steel	21.6 X 1000 rpm



Thin Section Ball Bearings

Part Number	Bore diameter	Outside diameter	Width	Seal type	Ring material	Ball material	Limiting speed
S6803zz	17 mm	26 mm	5 mm	Shielded	Stainless Steel	Stainless Steel	21.6 X 1000 rpm
S6804	20 mm	32 mm	7 mm	Open	Stainless Steel	Stainless Steel	18.9 X 1000 rpm
S6804 2rs	20 mm	32 mm	7 mm	Sealed	Stainless Steel	Stainless Steel	18.9 X 1000 rpm
S6804zz	20 mm	32 mm	7 mm	Shielded	Stainless Steel	Stainless Steel	18.9 X 1000 rpm
S6805	25 mm	37 mm	7 mm	Open	Stainless Steel	Stainless Steel	16.2 X 1000 rpm
S6805 2rs	25 mm	37 mm	7 mm	Sealed	Stainless Steel	Stainless Steel	16.2 X 1000 rpm
S6805zz	25 mm	37 mm	7 mm	Shielded	Stainless Steel	Stainless Steel	16.2 X 1000 rpm
S6806	30 mm	42 mm	7 mm	Open	Stainless Steel	Stainless Steel	13.5 X 1000 rpm
S6806 2rs	30 mm	42 mm	7 mm	Sealed	Stainless Steel	Stainless Steel	13.5 X 1000 rpm
S6806zz	30 mm	42 mm	7 mm	Shielded	Stainless Steel	Stainless Steel	13.5 X 1000 rpm
S6807	35 mm	47 mm	7 mm	Open	Stainless Steel	Stainless Steel	11.7 X 1000 rpm
S6807 2rs	35 mm	47 mm	7 mm	Sealed	Stainless Steel	Stainless Steel	11.7 X 1000 rpm
S6807zz	35 mm	47 mm	7 mm	Shielded	Stainless Steel	Stainless Steel	11.7 X 1000 rpm
S6808	40 mm	52 mm	7 mm	Open	Stainless Steel	Stainless Steel	10.8 X 1000 rpm
S6808 2rs	40 mm	52 mm	7 mm	Sealed	Stainless Steel	Stainless Steel	10.8 X 1000 rpm
S6808zz	40 mm	52 mm	7 mm	Shielded	Stainless Steel	Stainless Steel	10.8 X 1000 rpm
S6809	45 mm	58 mm	7 mm	Open	Stainless Steel	Stainless Steel	9.9 X 1000 rpm
S6809 2rs	45 mm	58 mm	7 mm	Sealed	Stainless Steel	Stainless Steel	9.9 X 1000 rpm
S6809zz	45 mm	58 mm	7 mm	Shielded	Stainless Steel	Stainless Steel	9.9 X 1000 rpm
S6810	50 mm	65 mm	7 mm	Open	Stainless Steel	Stainless Steel	9.9 X 1000 rpm
S6810 2rs	50 mm	65 mm	7 mm	Sealed	Stainless Steel	Stainless Steel	9.9 X 1000 rpm
S6810zz	50 mm	65 mm	7 mm	Shielded	Stainless Steel	Stainless Steel	9.9 X 1000 rpm
S6811	55 mm	72 mm	9 mm	Open	Stainless Steel	Stainless Steel	9 X 1000 rpm
S6811 2rs	55 mm	72 mm	9 mm	Sealed	Stainless Steel	Stainless Steel	9 X 1000 rpm
S6811zz	55 mm	72 mm	9 mm	Shielded	Stainless Steel	Stainless Steel	9 X 1000 rpm
S6812	60 mm	78 mm	10 mm	Open	Stainless Steel	Stainless Steel	8.46 X 1000 rpm
S6812 2rs	60 mm	78 mm	10 mm	Sealed	Stainless Steel	Stainless Steel	8.46 X 1000 rpm
S6812zz	60 mm	78 mm	10 mm	Shielded	Stainless Steel	Stainless Steel	8.46 X 1000 rpm
S6813	65 mm	85 mm	10 mm	Open	Stainless Steel	Stainless Steel	7.74 X 1000 rpm
S6813 2rs	65 mm	85 mm	10 mm	Sealed	Stainless Steel	Stainless Steel	7.74 X 1000 rpm
S6813zz	65 mm	85 mm	10 mm	Shielded	Stainless Steel	Stainless Steel	7.74 X 1000 rpm
S6814	70 mm	90 mm	10 mm	Open	Stainless Steel	Stainless Steel	7.29 X 1000 rpm
S6814 2rs	70 mm	90 mm	10 mm	Sealed	Stainless Steel	Stainless Steel	7.29 X 1000 rpm
S6814zz	70 mm	90 mm	10 mm	Shielded	Stainless Steel	Stainless Steel	7.29 X 1000 rpm
S6815	75 mm	95 mm	10 mm	Open	Stainless Steel	Stainless Steel	6.84 X 1000 rpm
S6815 2rs	75 mm	95 mm	10 mm	Sealed	Stainless Steel	Stainless Steel	6.84 X 1000 rpm
S6815zz	75 mm	95 mm	10 mm	Shielded	Stainless Steel	Stainless Steel	6.84 X 1000 rpm
S6816	80 mm	100 mm	10 mm	Open	Stainless Steel	Stainless Steel	5.4 X 1000 rpm
S6816 2rs	80 mm	100 mm	10 mm	Sealed	Stainless Steel	Stainless Steel	5.4 X 1000 rpm



Thin Section Ball Bearings

Part Number	Bore diameter	Outside diameter	Width	Seal type	Ring material	Ball material	Limiting speed
S6816zz	80 mm	100 mm	10 mm	Shielded	Stainless Steel	Stainless Steel	5.4 X 1000 rpm
S6817	85 mm	110 mm	13 mm	Open	Stainless Steel	Stainless Steel	5 X 1000 rpm
S6817 2rs	85 mm	110 mm	13 mm	Sealed	Stainless Steel	Stainless Steel	5 X 1000 rpm
S6817zz	85 mm	110 mm	13 mm	Shielded	Stainless Steel	Stainless Steel	5 X 1000 rpm
S6818	90 mm	115 mm	13 mm	Open	Stainless Steel	Stainless Steel	4.8 X 1000 rpm
S6818 2rs	90 mm	115 mm	13 mm	Sealed	Stainless Steel	Stainless Steel	4.8 X 1000 rpm
S6818zz	90 mm	115 mm	13 mm	Shielded	Stainless Steel	Stainless Steel	4.8 X 1000 rpm
S6819	95 mm	120 mm	13 mm	Open	Stainless Steel	Stainless Steel	4.5 X 1000 rpm
S6819 2rs	95 mm	120 mm	13 mm	Sealed	Stainless Steel	Stainless Steel	4.5 X 1000 rpm
S6819zz	95 mm	120 mm	13 mm	Shielded	Stainless Steel	Stainless Steel	4.5 X 1000 rpm
6900	10 mm	22 mm	6 mm	Open	Chrome Steel	Chrome Steel	37 X 1000 rpm
6900 2rs	10 mm	22 mm	6 mm	Sealed	Chrome Steel	Chrome Steel	37 X 1000 rpm
6900zz	10 mm	22 mm	6 mm	Shielded	Chrome Steel	Chrome Steel	37 X 1000 rpm
6901	12 mm	24 mm	6 mm	Open	Chrome Steel	Chrome Steel	33 X 1000 rpm
6901 2rs	12 mm	24 mm	6 mm	Sealed	Chrome Steel	Chrome Steel	33 X 1000 rpm
6901zz	12 mm	24 mm	6 mm	Shielded	Chrome Steel	Chrome Steel	33 X 1000 rpm
6902	15 mm	28 mm	7 mm	Open	Chrome Steel	Chrome Steel	29 X 1000 rpm
6902 2rs	15 mm	28 mm	7 mm	Sealed	Chrome Steel	Chrome Steel	29 X 1000 rpm
6902-ZZ	15 mm	28 mm	7 mm	Shielded	Chrome Steel	Chrome Steel	29 X 1000 rpm
6902zz	15 mm	28 mm	7 mm	Shielded	Chrome Steel	Chrome Steel	29 X 1000 rpm
6903	17 mm	30 mm	7 mm	Open	Chrome Steel	Chrome Steel	26 X 1000 rpm
6903 2rs	17 mm	30 mm	7 mm	Sealed	Chrome Steel	Chrome Steel	26 X 1000 rpm
6903zz	17 mm	30 mm	7 mm	Shielded	Chrome Steel	Chrome Steel	26 X 1000 rpm
6904	20 mm	37 mm	9 mm	Open	Chrome Steel	Chrome Steel	22 X 1000 rpm
6904 2rs	20 mm	37 mm	9 mm	Sealed	Chrome Steel	Chrome Steel	22 X 1000 rpm
6904zz	20 mm	37 mm	9 mm	Shielded	Chrome Steel	Chrome Steel	22 X 1000 rpm
6905	25 mm	42 mm	9 mm	Open	Chrome Steel	Chrome Steel	19 X 1000 rpm
6905 2rs	25 mm	42 mm	9 mm	Sealed	Chrome Steel	Chrome Steel	19 X 1000 rpm
6905zz	25 mm	42 mm	9 mm	Shielded	Chrome Steel	Chrome Steel	19 X 1000 rpm
6906	30 mm	47 mm	9 mm	Open	Chrome Steel	Chrome Steel	17 X 1000 rpm
6906 2rs	30 mm	47 mm	9 mm	Sealed	Chrome Steel	Chrome Steel	17 X 1000 rpm
6906zz	30 mm	47 mm	9 mm	Shielded	Chrome Steel	Chrome Steel	17 X 1000 rpm
6907	35 mm	55 mm	10 mm	Open	Chrome Steel	Chrome Steel	14 X 1000 rpm
6907 2rs	35 mm	55 mm	10 mm	Sealed	Chrome Steel	Chrome Steel	14 X 1000 rpm
6907zz	35 mm	55 mm	10 mm	Shielded	Chrome Steel	Chrome Steel	14 X 1000 rpm
6908-VAL	40 mm	62 mm	12 mm	Open	Chrome Steel	Chrome Steel	13 X 1000 rpm
6908	40 mm	62 mm	12 mm	Open	Chrome Steel	Chrome Steel	13 X 1000 rpm
6908 2rs	40 mm	62 mm	12 mm	Sealed	Chrome Steel	Chrome Steel	13 X 1000 rpm
6908zz	40 mm	62 mm	12 mm	Shielded	Chrome Steel	Chrome Steel	13 X 1000 rpm



Thin Section Ball Bearings

Part Number	Bore diameter	Outside diameter	Width	Seal type	Ring material	Ball material	Limiting speed
6909	45 mm	68 mm	12 mm	Open	Chrome Steel	Chrome Steel	11 X 1000 rpm
6909 2rs	45 mm	68 mm	12 mm	Sealed	Chrome Steel	Chrome Steel	11 X 1000 rpm
6909zz	45 mm	68 mm	12 mm	Shielded	Chrome Steel	Chrome Steel	11 X 1000 rpm
6910	50 mm	72 mm	12 mm	Open	Chrome Steel	Chrome Steel	11 X 1000 rpm
6910 2rs	50 mm	72 mm	12 mm	Sealed	Chrome Steel	Chrome Steel	11 X 1000 rpm
6910zz	50 mm	72 mm	12 mm	Shielded	Chrome Steel	Chrome Steel	11 X 1000 rpm
6911	55 mm	80 mm	13 mm	Open	Chrome Steel	Chrome Steel	9.6 X 1000 rpm
6911 2rs	55 mm	80 mm	13 mm	Sealed	Chrome Steel	Chrome Steel	9.6 X 1000 rpm
6911zz	55 mm	80 mm	13 mm	Shielded	Chrome Steel	Chrome Steel	9.6 X 1000 rpm
6912	60 mm	85 mm	13 mm	Open	Chrome Steel	Chrome Steel	8.9 X 1000 rpm
6912 2rs	60 mm	85 mm	13 mm	Sealed	Chrome Steel	Chrome Steel	8.9 X 1000 rpm
6912zz	60 mm	85 mm	13 mm	Shielded	Chrome Steel	Chrome Steel	8.9 X 1000 rpm
6913	65 mm	90 mm	13 mm	Open	Chrome Steel	Chrome Steel	8.3 X 1000 rpm
6913 2rs	65 mm	90 mm	13 mm	Sealed	Chrome Steel	Chrome Steel	8.3 X 1000 rpm
6913zz	65 mm	90 mm	13 mm	Shielded	Chrome Steel	Chrome Steel	8.3 X 1000 rpm
6914	70 mm	100 mm	16 mm	Open	Chrome Steel	Chrome Steel	7.6 X 1000 rpm
6914 2rs	70 mm	100 mm	16 mm	Sealed	Chrome Steel	Chrome Steel	7.6 X 1000 rpm
6914zz	70 mm	100 mm	16 mm	Shielded	Chrome Steel	Chrome Steel	7.6 X 1000 rpm
6915	75 mm	105 mm	16 mm	Open	Chrome Steel	Chrome Steel	7.1 X 1000 rpm
6915 2rs	75 mm	105 mm	16 mm	Sealed	Chrome Steel	Chrome Steel	7.1 X 1000 rpm
6915zz	75 mm	105 mm	16 mm	Shielded	Chrome Steel	Chrome Steel	7.1 X 1000 rpm
6916	80 mm	110 mm	16 mm	Open	Chrome Steel	Chrome Steel	6.7 X 1000 rpm
6916 2rs	80 mm	110 mm	16 mm	Sealed	Chrome Steel	Chrome Steel	6.7 X 1000 rpm
6916zz	80 mm	110 mm	16 mm	Shielded	Chrome Steel	Chrome Steel	6.7 X 1000 rpm
6917	85 mm	120 mm	18 mm	Open	Chrome Steel	Chrome Steel	6.2 X 1000 rpm
6917 2rs	85 mm	120 mm	18 mm	Sealed	Chrome Steel	Chrome Steel	6.2 X 1000 rpm
6917zz	85 mm	120 mm	18 mm	Shielded	Chrome Steel	Chrome Steel	6.2 X 1000 rpm
6918	90 mm	125 mm	18 mm	Open	Chrome Steel	Chrome Steel	5.9 X 1000 rpm
6918 2rs	90 mm	125 mm	18 mm	Sealed	Chrome Steel	Chrome Steel	6 X 1000 rpm
6918zz	90 mm	125 mm	18 mm	Shielded	Chrome Steel	Chrome Steel	6 X 1000 rpm
S6900	10 mm	22 mm	6 mm	Open	Stainless Steel	Stainless Steel	27.9 X 1000 rpm
S6900 2rs	10 mm	22 mm	6 mm	Sealed	Stainless Steel	Stainless Steel	27.9 X 1000 rpm
S6900zz	10 mm	22 mm	6 mm	Shielded	Stainless Steel	Stainless Steel	27.9 X 1000 rpm
S6901	12 mm	24 mm	6 mm	Open	Stainless Steel	Stainless Steel	25.2 X 1000 rpm
S6901 2rs	12 mm	24 mm	6 mm	Sealed	Stainless Steel	Stainless Steel	25.2 X 1000 rpm
S6901zz	12 mm	24 mm	6 mm	Shielded	Stainless Steel	Stainless Steel	25.2 X 1000 rpm
S6902	15 mm	28 mm	7 mm	Open	Stainless Steel	Stainless Steel	21.6 X 1000 rpm
S6902 2rs	15 mm	28 mm	7 mm	Sealed	Stainless Steel	Stainless Steel	21.6 X 1000 rpm
S6902zz	15 mm	28 mm	7 mm	Shielded	Stainless Steel	Stainless Steel	21.6 X 1000 rpm



Thin Section Ball Bearings

Part Number	Bore diameter	Outside diameter	Width	Seal type	Ring material	Ball material	Limiting speed
S6903	17 mm	30 mm	7 mm	Open	Stainless Steel	Stainless Steel	19.8 X 1000 rpm
S6903 2rs	17 mm	30 mm	7 mm	Sealed	Stainless Steel	Stainless Steel	19.8 X 1000 rpm
S6903zz	17 mm	30 mm	7 mm	Shielded	Stainless Steel	Stainless Steel	19.8 X 1000 rpm
S6904	20 mm	37 mm	9 mm	Open	Stainless Steel	Stainless Steel	17.1 X 1000 rpm
S6904 2rs	20 mm	37 mm	9 mm	Sealed	Stainless Steel	Stainless Steel	17.1 X 1000 rpm
S6904zz	20 mm	37 mm	9 mm	Shielded	Stainless Steel	Stainless Steel	17.1 X 1000 rpm
S6905	25 mm	42 mm	9 mm	Open	Stainless Steel	Stainless Steel	14.4 X 1000 rpm
S6905 2rs	25 mm	42 mm	9 mm	Sealed	Stainless Steel	Stainless Steel	14.4 X 1000 rpm
S6905zz	25 mm	42 mm	9 mm	Shielded	Stainless Steel	Stainless Steel	14.4 X 1000 rpm
S6906	30 mm	47 mm	9 mm	Open	Stainless Steel	Stainless Steel	12.6 X 1000 rpm
S6906 2rs	30 mm	47 mm	9 mm	Sealed	Stainless Steel	Stainless Steel	12.6 X 1000 rpm
S6906zz	30 mm	47 mm	9 mm	Shielded	Stainless Steel	Stainless Steel	12.6 X 1000 rpm
S6907	35 mm	55 mm	10 mm	Open	Stainless Steel	Stainless Steel	10.8 X 1000 rpm
S6907 2rs	35 mm	55 mm	10 mm	Sealed	Stainless Steel	Stainless Steel	10.8 X 1000 rpm
S6907zz	35 mm	55 mm	10 mm	Shielded	Stainless Steel	Stainless Steel	10.8 X 1000 rpm
S6908	40 mm	62 mm	12 mm	Open	Stainless Steel	Stainless Steel	9.9 X 1000 rpm
S6908 2rs	40 mm	62 mm	12 mm	Sealed	Stainless Steel	Stainless Steel	9.9 X 1000 rpm
S6908zz	40 mm	62 mm	12 mm	Shielded	Stainless Steel	Stainless Steel	9.9 X 1000 rpm
S6909	45 mm	68 mm	12 mm	Open	Stainless Steel	Stainless Steel	9 X 1000 rpm
S6909 2rs	45 mm	68 mm	12 mm	Sealed	Stainless Steel	Stainless Steel	9 X 1000 rpm
S6909zz	45 mm	68 mm	12 mm	Shielded	Stainless Steel	Stainless Steel	9 X 1000 rpm
S6910	50 mm	72 mm	12 mm	Open	Stainless Steel	Stainless Steel	9.9 X 1000 rpm
S6910 2rs	50 mm	72 mm	12 mm	Sealed	Stainless Steel	Stainless Steel	8.1 X 1000 rpm
S6910zz	50 mm	72 mm	12 mm	Shielded	Stainless Steel	Stainless Steel	8.1 X 1000 rpm
S6911	55 mm	80 mm	13 mm	Open	Stainless Steel	Stainless Steel	8.64 X 1000 rpm
S6911 2rs	55 mm	80 mm	13 mm	Sealed	Stainless Steel	Stainless Steel	7.3 X 1000 rpm
S6911zz	55 mm	80 mm	13 mm	Shielded	Stainless Steel	Stainless Steel	7.3 X 1000 rpm
S6912	60 mm	85 mm	13 mm	Open	Stainless Steel	Stainless Steel	8.01 X 1000 rpm
S6912 2rs	60 mm	85 mm	13 mm	Sealed	Stainless Steel	Stainless Steel	6.8 X 1000 rpm
S6912zz	60 mm	85 mm	13 mm	Shielded	Stainless Steel	Stainless Steel	6.8 X 1000 rpm
S6913	65 mm	90 mm	13 mm	Open	Stainless Steel	Stainless Steel	7.471 X 1000 rpm
S6913 2rs	65 mm	90 mm	13 mm	Sealed	Stainless Steel	Stainless Steel	6.3 X 1000 rpm
S6913zz	65 mm	90 mm	13 mm	Shielded	Stainless Steel	Stainless Steel	6.3 X 1000 rpm
S6914	70 mm	100 mm	16 mm	Open	Stainless Steel	Stainless Steel	6.84 X 1000 rpm
S6914 2rs	70 mm	100 mm	16 mm	Sealed	Stainless Steel	Stainless Steel	5.8 X 1000 rpm
S6914zz	70 mm	100 mm	16 mm	Shielded	Stainless Steel	Stainless Steel	5.8 X 1000 rpm
S6915	75 mm	105 mm	16 mm	Open	Stainless Steel	Stainless Steel	6.39 X 1000 rpm
S6915 2rs	75 mm	105 mm	16 mm	Sealed	Stainless Steel	Stainless Steel	5.4 X 1000 rpm



Thin Section Ball Bearings

Part Number	Bore diameter	Outside diameter	Width	Seal type	Ring material	Ball material	Limiting speed
S6915zz	75 mm	105 mm	16 mm	Shielded	Stainless Steel	Stainless Steel	5.4 X 1000 rpm
S6916	80 mm	110 mm	16 mm	Open	Stainless Steel	Stainless Steel	5.1 X 1000 rpm
S6916 2rs	80 mm	110 mm	16 mm	Sealed	Stainless Steel	Stainless Steel	5.1 X 1000 rpm
S6916zz	80 mm	110 mm	16 mm	Shielded	Stainless Steel	Stainless Steel	5.1 X 1000 rpm
S6917	85 mm	120 mm	18 mm	Open	Stainless Steel	Stainless Steel	4.8 X 1000 rpm
S6917 2rs	85 mm	120 mm	18 mm	Sealed	Stainless Steel	Stainless Steel	4.8 X 1000 rpm
S6917zz	85 mm	120 mm	18 mm	Shielded	Stainless Steel	Stainless Steel	4.8 X 1000 rpm
S6918	90 mm	125 mm	18 mm	Open	Stainless Steel	Stainless Steel	4.5 X 1000 rpm
S6918 2rs	90 mm	125 mm	18 mm	Sealed	Stainless Steel	Stainless Steel	4.6 X 1000 rpm
S6918zz	90 mm	125 mm	18 mm	Shielded	Stainless Steel	Stainless Steel	4.6 X 1000 rpm
16100	10 mm	28 mm	8 mm	Open	Chrome Steel	Chrome Steel	25 X 1000 rpm
16100-2Z	10 mm	28 mm	8 mm	Shielded	Chrome Steel	Chrome Steel	30 X 1000 rpm
16101	12 mm	30 mm	8 mm	Open	Chrome Steel	Chrome Steel	22 X 1000 rpm
16101-2RS1	12 mm	30 mm	8 mm	Sealed	Chrome Steel	Chrome Steel	17 X 1000 rpm
16101-2Z	12 mm	30 mm	8 mm	Shielded	Chrome Steel	Chrome Steel	28 X 1000 rpm
16002	15 mm	32 mm	8 mm	Open	Chrome Steel	Chrome Steel	19 X 1000 rpm
16002/W64	15 mm	32 mm	8 mm	Open	Chrome Steel	Chrome Steel	19 X 1000 rpm
16002-2Z	15 mm	32 mm	8 mm	Shielded	Chrome Steel	Chrome Steel	26 X 1000 rpm
16002-Z	15 mm	32 mm	8 mm	Shielded	Chrome Steel	Chrome Steel	26 X 1000 rpm
16003	17 mm	35 mm	8 mm	Open	Chrome Steel	Chrome Steel	17 X 1000 rpm
16003/W64	17 mm	35 mm	8 mm	Open	Chrome Steel	Chrome Steel	17 X 1000 rpm
16003-2Z	17 mm	35 mm	8 mm	Shielded	Chrome Steel	Chrome Steel	22 X 1000 rpm
16004	20 mm	42 mm	8 mm	Open	Chrome Steel	Chrome Steel	13 X 1000 rpm
16004 J/C3	20 mm	42 mm	8 mm	Open	Chrome Steel	Chrome Steel	13 X 1000 rpm
16004/C3W64	20 mm	42 mm	8 mm	Open	Chrome Steel	Chrome Steel	13 X 1000 rpm
16004/C4	20 mm	42 mm	8 mm	Open	Chrome Steel	Chrome Steel	13 X 1000 rpm
16004/W64	20 mm	42 mm	8 mm	Open	Chrome Steel	Chrome Steel	13 X 1000 rpm
16005	25 mm	47 mm	8 mm	Open	Chrome Steel	Chrome Steel	11 X 1000 rpm
16005 TN9	25 mm	47 mm	8 mm	Open	Chrome Steel	Chrome Steel	11 X 1000 rpm
16005/W64	25 mm	47 mm	8 mm	Open	Chrome Steel	Chrome Steel	11 X 1000 rpm
16005-2RS1	25 mm	47 mm	8 mm	Sealed	Chrome Steel	Chrome Steel	11 X 1000 rpm
16006	30 mm	55 mm	9 mm	Open	Chrome Steel	Chrome Steel	10 X 1000 rpm
16006/W64	30 mm	55 mm	9 mm	Open	Chrome Steel	Chrome Steel	10 X 1000 rpm
16007	35 mm	62 mm	9 mm	Open	Chrome Steel	Chrome Steel	8.4 X 1000 rpm
16007/W64	35 mm	62 mm	9 mm	Open	Chrome Steel	Chrome Steel	8.4 X 1000 rpm
16008	40 mm	68 mm	9 mm	Open	Chrome Steel	Chrome Steel	7.4 X 1000 rpm
16008/W64	40 mm	68 mm	9 mm	Open	Chrome Steel	Chrome Steel	7.4 X 1000 rpm
16009	45 mm	75 mm	10 mm	Open	Chrome Steel	Chrome Steel	6.9 X 1000 rpm
16009/W64	45 mm	75 mm	10 mm	Open	Chrome Steel	Chrome Steel	6.9 X 1000 rpm



Thin Section Ball Bearings

Part Number	Bore diameter	Outside diameter	Width	Seal type	Ring material	Ball material	Limiting speed
16010	50 mm	80 mm	10 mm	Open	Chrome Steel	Chrome Steel	6.3 X 1000 rpm
16010/W64	50 mm	80 mm	10 mm	Open	Chrome Steel	Chrome Steel	6.3 X 1000 rpm
16010/W64E	50 mm	80 mm	10 mm	Open	Chrome Steel	Chrome Steel	6.3 X 1000 rpm
16011	55 mm	90 mm	11 mm	Open	Chrome Steel	Chrome Steel	5.8 X 1000 rpm
16011/W64	55 mm	90 mm	11 mm	Open	Chrome Steel	Chrome Steel	5.8 X 1000 rpm
16012	60 mm	95 mm	11 mm	Open	Chrome Steel	Chrome Steel	5.4 X 1000 rpm
16012/W64	60 mm	95 mm	11 mm	Open	Chrome Steel	Chrome Steel	5.4 X 1000 rpm
16013	65 mm	100 mm	11 mm	Open	Chrome Steel	Chrome Steel	5 X 1000 rpm
16013/W64	65 mm	100 mm	11 mm	Open	Chrome Steel	Chrome Steel	5 X 1000 rpm
16014	70 mm	110 mm	13 mm	Open	Chrome Steel	Chrome Steel	5 X 1000 rpm
16014/C3W64	70 mm	110 mm	13 mm	Open	Chrome Steel	Chrome Steel	5 X 1000 rpm
16014/W64	70 mm	110 mm	13 mm	Open	Chrome Steel	Chrome Steel	5 X 1000 rpm
16015	75 mm	115 mm	13 mm	Open	Chrome Steel	Chrome Steel	4.6 X 1000 rpm
16015/W64	75 mm	115 mm	13 mm	Open	Chrome Steel	Chrome Steel	4.6 X 1000 rpm
16016	80 mm	125 mm	14 mm	Open	Chrome Steel	Chrome Steel	4.4 X 1000 rpm
16016/W64	80 mm	125 mm	14 mm	Open	Chrome Steel	Chrome Steel	4.4 X 1000 rpm
16017	85 mm	130 mm	14 mm	Open	Chrome Steel	Chrome Steel	4.2 X 1000 rpm
16017/W64	85 mm	130 mm	14 mm	Open	Chrome Steel	Chrome Steel	4.2 X 1000 rpm
16018	90 mm	140 mm	16 mm	Open	Chrome Steel	Chrome Steel	4.2 X 1000 rpm
16018/W64	90 mm	140 mm	16 mm	Open	Chrome Steel	Chrome Steel	4.2 X 1000 rpm
16019	95 mm	145 mm	16 mm	Open	Chrome Steel	Chrome Steel	3.9 X 1000 rpm
16019/W64	95 mm	145 mm	16 mm	Open	Chrome Steel	Chrome Steel	3.9 X 1000 rpm
16020	100 mm	150 mm	16 mm	Open	Chrome Steel	Chrome Steel	3.8 X 1000 rpm
16020/W64	100 mm	150 mm	16 mm	Open	Chrome Steel	Chrome Steel	3.8 X 1000 rpm
16021	105 mm	160 mm	18 mm	Open	Chrome Steel	Chrome Steel	3.8 X 1000 rpm
16022	110 mm	170 mm	19 mm	Open	Chrome Steel	Chrome Steel	3.6 X 1000 rpm
16022/W64	110 mm	170 mm	19 mm	Open	Chrome Steel	Chrome Steel	3.6 X 1000 rpm
16022/W64F	110 mm	170 mm	19 mm	Open	Chrome Steel	Chrome Steel	3.6 X 1000 rpm
16024	120 mm	180 mm	19 mm	Open	Chrome Steel	Chrome Steel	3.3 X 1000 rpm
16024 MA/C3	120 mm	180 mm	19 mm	Open	Chrome Steel	Chrome Steel	3.3 X 1000 rpm
16026	130 mm	200 mm	22 mm	Open	Chrome Steel	Chrome Steel	3.2 X 1000 rpm
16026/W64	130 mm	200 mm	22 mm	Open	Chrome Steel	Chrome Steel	3.2 X 1000 rpm
16028	140 mm	210 mm	22 mm	Open	Chrome Steel	Chrome Steel	3 X 1000 rpm
16028 MA/C3	140 mm	210 mm	22 mm	Open	Chrome Steel	Chrome Steel	3 X 1000 rpm
16028/W64H	140 mm	210 mm	22 mm	Open	Chrome Steel	Chrome Steel	3 X 1000 rpm
16030	150 mm	225 mm	24 mm	Open	Chrome Steel	Chrome Steel	2.9 X 1000 rpm
16030/W64	150 mm	225 mm	24 mm	Open	Chrome Steel	Chrome Steel	2.9 X 1000 rpm
16032	160 mm	240 mm	25 mm	Open	Chrome Steel	Chrome Steel	2.8 X 1000 rpm
16032/W64	160 mm	240 mm	25 mm	Open	Chrome Steel	Chrome Steel	2.8 X 1000 rpm



Thin Section Ball Bearings

Part Number	Bore diameter	Outside diameter	Width	Seal type	Ring material	Ball material	Limiting speed
16034	170 mm	260 mm	28 mm	Open	Chrome Steel	Chrome Steel	3.2 X 1000 rpm
16036	180 mm	280 mm	31 mm	Open	Chrome Steel	Chrome Steel	3 X 1000 rpm
16038	190 mm	290 mm	31 mm	Open	Chrome Steel	Chrome Steel	3 X 1000 rpm
16040	200 mm	310 mm	34 mm	Open	Chrome Steel	Chrome Steel	2.8 X 1000 rpm
16044	220 mm	340 mm	37 mm	Open	Chrome Steel	Chrome Steel	2.4 X 1000 rpm
16048 MA	240 mm	360 mm	37 mm	Open	Chrome Steel	Chrome Steel	3 X 1000 rpm
16052 MA	260 mm	400 mm	44 mm	Open	Chrome Steel	Chrome Steel	2.8 X 1000 rpm
16056 MA	280 mm	420 mm	44 mm	Open	Chrome Steel	Chrome Steel	2.6 X 1000 rpm
16060 MA	300 mm	460 mm	50 mm	Open	Chrome Steel	Chrome Steel	1.8 X 1000 rpm
16064 MA	320 mm	480 mm	50 mm	Open	Chrome Steel	Chrome Steel	1.7 X 1000 rpm
16064 MA/C3	320 mm	480 mm	50 mm	Open	Chrome Steel	Chrome Steel	1.7 X 1000 rpm
16068 MA	340 mm	520 mm	57 mm	Open	Chrome Steel	Chrome Steel	1.5 X 1000 rpm
16072 MA	360 mm	540 mm	57 mm	Open	Chrome Steel	Chrome Steel	1.4 X 1000 rpm
16076 MA	380 mm	560 mm	57 mm	Open	Chrome Steel	Chrome Steel	1.4 X 1000 rpm
619-2Z	2"	-	-	Shielded	Chrome Steel	Chrome Steel	-
619/3-2Z	3 mm	8 mm	3 mm	Shielded	Chrome Steel	Chrome Steel	70 X 1000 rpm
618/2	4 mm	9 mm	2.5 mm	Open	Chrome Steel	Chrome Steel	85 X 1000 rpm
618/4	4 mm	9 mm	2.5 mm	Open	Chrome Steel	Chrome Steel	85 X 1000 rpm
618/7/W64	4 mm	9 mm	2.5 mm	Open	Chrome Steel	Chrome Steel	85 X 1000 rpm
618/8/W64	4 mm	9 mm	2.5 mm	Open	Chrome Steel	Chrome Steel	85 X 1000 rpm
619/4	4 mm	11 mm	4 mm	Open	Chrome Steel	Chrome Steel	80 X 1000 rpm
619/4-2Z	4 mm	11 mm	4 mm	Shielded	Chrome Steel	Chrome Steel	63 X 1000 rpm
618/5	5 mm	11 mm	3 mm	Open	Chrome Steel	Chrome Steel	75 X 1000 rpm
619/5	5 mm	13 mm	4 mm	Open	Chrome Steel	Chrome Steel	70 X 1000 rpm
619/5-2Z	5 mm	13 mm	4 mm	Shielded	Chrome Steel	Chrome Steel	50 X 1000 rpm
618/6	6 mm	13 mm	3.5 mm	Open	Chrome Steel	Chrome Steel	67 X 1000 rpm
619/6	6 mm	15 mm	5 mm	Open	Chrome Steel	Chrome Steel	63 X 1000 rpm
619/6-2Z	6 mm	15 mm	5 mm	Shielded	Chrome Steel	Chrome Steel	50 X 1000 rpm
618/7	7 mm	14 mm	3.5 mm	Open	Chrome Steel	Chrome Steel	63 X 1000 rpm
619/7	7 mm	17 mm	5 mm	Open	Chrome Steel	Chrome Steel	56 X 1000 rpm
619/7-2Z	7 mm	17 mm	5 mm	Shielded	Chrome Steel	Chrome Steel	45 X 1000 rpm
618/8	8 mm	16 mm	4 mm	Open	Chrome Steel	Chrome Steel	56 X 1000 rpm
618/8-2Z	8 mm	16 mm	4 mm	Shielded	Chrome Steel	Chrome Steel	56 X 1000 rpm
619/8	8 mm	19 mm	6 mm	Open	Chrome Steel	Chrome Steel	53 X 1000 rpm
619/8-2RS1	8 mm	19 mm	6 mm	Sealed	Chrome Steel	Chrome Steel	24 X 1000 rpm
619/8-2RS1/W64	8 mm	19 mm	6 mm	Sealed	Chrome Steel	Chrome Steel	53 X 1000 rpm
619/8-2Z	8 mm	19 mm	6 mm	Shielded	Chrome Steel	Chrome Steel	43 X 1000 rpm
619/8-2ZR	8 mm	19 mm	6 mm	Shielded	Chrome Steel	Chrome Steel	53 X 1000 rpm
618/9	9 mm	17 mm	4 mm	Open	Chrome Steel	Chrome Steel	53 X 1000 rpm



Thin Section Ball Bearings

Part Number	Bore diameter	Outside diameter	Width	Seal type	Ring material	Ball material	Limiting speed
619/9	9 mm	20 mm	6 mm	Open	Chrome Steel	Chrome Steel	50 X 1000 rpm
619/9-2Z	9 mm	20 mm	6 mm	Shielded	Chrome Steel	Chrome Steel	40 X 1000 rpm
61800	10 mm	19 mm	5 mm	Open	Chrome Steel	Chrome Steel	48 X 1000 rpm
61800/W64	10 mm	19 mm	5 mm	Open	Chrome Steel	Chrome Steel	48 X 1000 rpm
61800/W64F	10 mm	19 mm	5 mm	Open	Chrome Steel	Chrome Steel	48 X 1000 rpm
61800-2RS1	10 mm	19 mm	5 mm	Sealed	Chrome Steel	Chrome Steel	22 X 1000 rpm
61800-2RS1/W64L	10 mm	19 mm	5 mm	Sealed	Chrome Steel	Chrome Steel	48 X 1000 rpm
61800-2Z	10 mm	19 mm	5 mm	Shielded	Chrome Steel	Chrome Steel	38 X 1000 rpm
61800-2Z/C3	10 mm	19 mm	5 mm	Shielded	Chrome Steel	Chrome Steel	48 X 1000 rpm
61900	10 mm	22 mm	6 mm	Open	Chrome Steel	Chrome Steel	45 X 1000 rpm
61900/W64	10 mm	22 mm	6 mm	Open	Chrome Steel	Chrome Steel	45 X 1000 rpm
61900-2RS1	10 mm	22 mm	6 mm	Sealed	Chrome Steel	Chrome Steel	20 X 1000 rpm
61900-2RS1/W64	10 mm	22 mm	6 mm	Sealed	Chrome Steel	Chrome Steel	45 X 1000 rpm
61900-2RS1/W64F	10 mm	22 mm	6 mm	Sealed	Chrome Steel	Chrome Steel	45 X 1000 rpm
61900-2Z	10 mm	22 mm	6 mm	Shielded	Chrome Steel	Chrome Steel	36 X 1000 rpm
61900-2Z/LHT23	10 mm	22 mm	6 mm	Shielded	Chrome Steel	Chrome Steel	45 X 1000 rpm
61801	12 mm	21 mm	5 mm	Open	Chrome Steel	Chrome Steel	43 X 1000 rpm
61801-2RS1	12 mm	21 mm	5 mm	Sealed	Chrome Steel	Chrome Steel	20 X 1000 rpm
61801-2RS1/W64	12 mm	21 mm	5 mm	Sealed	Chrome Steel	Chrome Steel	43 X 1000 rpm
61801-2Z	12 mm	21 mm	5 mm	Shielded	Chrome Steel	Chrome Steel	36 X 1000 rpm
61801-2Z/GFF/R806	12 mm	21 mm	5 mm	Shielded	Chrome Steel	Chrome Steel	43 X 1000 rpm
61901	12 mm	24 mm	6 mm	Open	Chrome Steel	Chrome Steel	40 X 1000 rpm
61901-2RS1	12 mm	24 mm	6 mm	Sealed	Chrome Steel	Chrome Steel	19 X 1000 rpm
61901-2RS1/W64	12 mm	24 mm	6 mm	Sealed	Chrome Steel	Chrome Steel	40 X 1000 rpm
61901-2Z	12 mm	24 mm	6 mm	Shielded	Chrome Steel	Chrome Steel	32 X 1000 rpm
61802	15 mm	24 mm	5 mm	Open	Chrome Steel	Chrome Steel	38 X 1000 rpm
61802/W64	15 mm	24 mm	5 mm	Open	Chrome Steel	Chrome Steel	38 X 1000 rpm
61802-2RS1	15 mm	24 mm	5 mm	Sealed	Chrome Steel	Chrome Steel	17 X 1000 rpm
61802-2RS1/W64	15 mm	24 mm	5 mm	Sealed	Chrome Steel	Chrome Steel	38 X 1000 rpm
61802-2RS1/W64F	15 mm	24 mm	5 mm	Sealed	Chrome Steel	Chrome Steel	38 X 1000 rpm
61802-2Z	15 mm	24 mm	5 mm	Shielded	Chrome Steel	Chrome Steel	30 X 1000 rpm
61902	15 mm	28 mm	7 mm	Open	Chrome Steel	Chrome Steel	34 X 1000 rpm
61902-2RS1	15 mm	28 mm	7 mm	Sealed	Chrome Steel	Chrome Steel	16 X 1000 rpm
61902-2RZ	15 mm	28 mm	7 mm	Sealed	Chrome Steel	Chrome Steel	28 X 1000 rpm
61902-2RS1/C3HVT245	15 mm	28 mm	7 mm	Sealed	Chrome Steel	Chrome Steel	34 X 1000 rpm
61902-2RS1/W64	15 mm	28 mm	7 mm	Sealed	Chrome Steel	Chrome Steel	34 X 1000 rpm
61902-2RS1/W64F	15 mm	28 mm	7 mm	Sealed	Chrome Steel	Chrome Steel	34 X 1000 rpm
61902-2RZ/C3VT105	15 mm	28 mm	7 mm	Sealed	Chrome Steel	Chrome Steel	34 X 1000 rpm
61902-2Z	15 mm	28 mm	7 mm	Shielded	Chrome Steel	Chrome Steel	28 X 1000 rpm



Thin Section Ball Bearings

Part Number	Bore diameter	Outside diameter	Width	Seal type	Ring material	Ball material	Limiting speed
61902-ZTN9	15 mm	28 mm	7 mm	Shielded	Chrome Steel	Chrome Steel	34 X 1000 rpm
61803	17 mm	26 mm	5 mm	Open	Chrome Steel	Chrome Steel	34 X 1000 rpm
61803-2RS1	17 mm	26 mm	5 mm	Sealed	Chrome Steel	Chrome Steel	16 X 1000 rpm
61803-2RZ	17 mm	26 mm	5 mm	Sealed	Chrome Steel	Chrome Steel	28 X 1000 rpm
61803-2RS1/W64	17 mm	26 mm	5 mm	Sealed	Chrome Steel	Chrome Steel	34 X 1000 rpm
61803-RS1	17 mm	26 mm	5 mm	Sealed	Chrome Steel	Chrome Steel	34 X 1000 rpm
61803-2Z	17 mm	26 mm	5 mm	Shielded	Chrome Steel	Chrome Steel	28 X 1000 rpm
61903	17 mm	30 mm	7 mm	Open	Chrome Steel	Chrome Steel	32 X 1000 rpm
61903/W64	17 mm	30 mm	7 mm	Open	Chrome Steel	Chrome Steel	32 X 1000 rpm
61903-2RS1	17 mm	30 mm	7 mm	Sealed	Chrome Steel	Chrome Steel	14 X 1000 rpm
61903-2RZ	17 mm	30 mm	7 mm	Sealed	Chrome Steel	Chrome Steel	26 X 1000 rpm
61903-2RS1/C3LHT23	17 mm	30 mm	7 mm	Sealed	Chrome Steel	Chrome Steel	32 X 1000 rpm
61903-2RS1/W64	17 mm	30 mm	7 mm	Sealed	Chrome Steel	Chrome Steel	32 X 1000 rpm
61903-2RS1/W64L	17 mm	30 mm	7 mm	Sealed	Chrome Steel	Chrome Steel	32 X 1000 rpm
61903-RS1	17 mm	30 mm	7 mm	Sealed	Chrome Steel	Chrome Steel	32 X 1000 rpm
61903-2Z	17 mm	30 mm	7 mm	Shielded	Chrome Steel	Chrome Steel	26 X 1000 rpm
61804	20 mm	32 mm	7 mm	Open	Chrome Steel	Chrome Steel	28 X 1000 rpm
61804/W64	20 mm	32 mm	7 mm	Open	Chrome Steel	Chrome Steel	28 X 1000 rpm
61804-2RS1	20 mm	32 mm	7 mm	Sealed	Chrome Steel	Chrome Steel	13 X 1000 rpm
61804-2RZ	20 mm	32 mm	7 mm	Sealed	Chrome Steel	Chrome Steel	22 X 1000 rpm
61804-2RS1/C3LHT23	20 mm	32 mm	7 mm	Sealed	Chrome Steel	Chrome Steel	28 X 1000 rpm
61804-2RS1/W64	20 mm	32 mm	7 mm	Sealed	Chrome Steel	Chrome Steel	28 X 1000 rpm
61804-2RS1/W64F	20 mm	32 mm	7 mm	Sealed	Chrome Steel	Chrome Steel	28 X 1000 rpm
61804-2RS1/W64L	20 mm	32 mm	7 mm	Sealed	Chrome Steel	Chrome Steel	28 X 1000 rpm
61904	20 mm	37 mm	9 mm	Open	Chrome Steel	Chrome Steel	26 X 1000 rpm
61904-2RS1	20 mm	37 mm	9 mm	Sealed	Chrome Steel	Chrome Steel	12 X 1000 rpm
61904-2RZ	20 mm	37 mm	9 mm	Sealed	Chrome Steel	Chrome Steel	20 X 1000 rpm
61904-2RS1/C3HGJN	20 mm	37 mm	9 mm	Sealed	Chrome Steel	Chrome Steel	26 X 1000 rpm
61904-2RS1/W64	20 mm	37 mm	9 mm	Sealed	Chrome Steel	Chrome Steel	26 X 1000 rpm
61904-2RS1/W64F	20 mm	37 mm	9 mm	Sealed	Chrome Steel	Chrome Steel	26 X 1000 rpm
61904-2RS1/W64L	20 mm	37 mm	9 mm	Sealed	Chrome Steel	Chrome Steel	26 X 1000 rpm
61805	25 mm	37 mm	7 mm	Open	Chrome Steel	Chrome Steel	24 X 1000 rpm
61805 TN9	25 mm	37 mm	7 mm	Open	Chrome Steel	Chrome Steel	24 X 1000 rpm
61805/MTF6VS072	25 mm	37 mm	7 mm	Open	Chrome Steel	Chrome Steel	24 X 1000 rpm
61805/W64	25 mm	37 mm	7 mm	Open	Chrome Steel	Chrome Steel	24 X 1000 rpm
61805-2RS1	25 mm	37 mm	7 mm	Sealed	Chrome Steel	Chrome Steel	11 X 1000 rpm